

троительн е материал

Технически характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: tam@nt-rt.ru || сайт: <https://3m.nt-rt.ru/>



3M™ Interam™ Endothermic Mat E-5A-4, 24.5 in x 20 ft, 1 Roll/Case



Albion® Manual Dispenser, 1/case



3M™ Fire Barrier Plank PK39, Maroon, 39.37 in x 5.12 in x 2.36 in, 3/Case



3M™ Fire Barrier Block B258, Maroon, 2.36 in x 5.12 in x 8 in, 12/Case



3M™ Fire Barrier Ultra GS Wrap Strip, 2 in x 40 ft, 5 Rolls/Case



3M™ Mat Edging Roll



3M™ Matting Adhesive, 3 Oz, Tube, 12/Case



3M™ Interam™ Endothermic Mat E-54A



3M™ Blended Roofing Granules



3M™ Headlap Roofing Granules



3M™ Fire Barrier Duct Wrap
615-24 1.5in x 24in x 25 ft, 1
Roll/Case



3M™ Fire Barrier Duct Wrap
615-48, 1.5in x 48in x 25 ft, 1
Roll/Case



3M™ Safety-Walk™ Wet Area
Matting 3200



3M™ Fire Block Foam, Orange,
12 fl oz, 12 Can/Case



3M™ Fire Barrier Putty Sleeve
Kits



3M™ Fire Barrier Pillows



3M™ Nomad™ Heavy Traffic
Entrance Matting 8100



3M™ Clean-Walk Replacement
Pad 5842, White, 30 in x 24 in,
60 Sheets Per Pad, 2 Pads P...
Case



3M™ Clean-Walk Framed Mat 5840



3M™ Nomad™ Heavy Traffic Entrance Matting 8150



3M™ Copper Roofing Granules



3M™ Expanrol Flexible Intumescent Strip E-FIS, Adhesive-Backed, Black, 1/16... x 1/2 in x 50 ft, 10 Rolls/Case



3M™ Fire Barrier Self-Locking Pillows



3M™ Fire Barrier Silicone Sealant 2000+



3M™ Fire Barrier Moldable Putty Pads MPP+



3M™ Fire Barrier Cast-In Device Height Adaptors



3M™ Fire Barrier Water Tight Sealant 1000 NS



3M™ Clean-Walk Mat 5830 Series



3M™ Nomad™ Medium Traffic Entrance Matting 6050



3M™ Fire Barrier Electrical Box Inserts



3M™ Smog-Reducing Granules



3M™ Fire Barrier Moldable Putty Stix MP+



3M™ Fire Barrier Cast-In Device Metal Deck Adaptors



3M™ Fire Barrier Water Tight Sealant 1003 SL



3M™ Cool Roofing Granules



3M™ Classic Roofing Granules



3M™ Fire Block Sealant FB136, Gray, 10.1 fl oz Cartridge, 12/Case




3M™ Fire Barrier Dryer Ventilation Wrap



3M™ Fire Barrier Cast-In Devices for Metal Pipes



3M™ Fire Barrier Water Tight Sealant 3000 WT



3M™ Nomad™ Entrance Matting 9100



3M™ Fire Barrier Plug PLG2, 2 in, Maroon, 4/Case



3M™ Fire Barrier Plastic Pipe Device



3M™ Fire Barrier Cast-In Devices for Plastic Pipes



3M™ FireDam™ Spray 200



3M™ Fire Barrier Water Tight Spray



3M™ Ultra Fast Anchors UFA-16, 3/4 in x 16 in, (40 Each/Bag) 400 Each/Case



3M™ Fire Barrier Cast-In Tub Box Assembly 3TB, 3 in, 6/Case



3M™ Smoke and Sound Sealant SS-100, White, 20 fl oz Sausage Pack, 12/Case




3M™ Fire Barrier Restricting Collar RC-1, 2 in, 1/case



3M™ Fire Barrier Pass-Through Brackets Round



Albion® Battery Operated Power Dispenser, 1/case



3M™ Matting Seaming Tape, Brown, 2 in x 100 ft, Roll, 5/Case



3M™ Fire Barrier Tuck-In Wrap Strips



3M™ Fire Barrier Pass-Through Brackets Square



3M™ Fire Barrier Duct Wrap 615+



3M™ Matting Adhesive, 3 Oz, Tube, 12/Case



3M™ Interam™ Endothermic Mat E-54A



3M™ Fire and Water Barrier Tape



3M™ Fire Barrier Rated Foam FIP 1-Step



3M™ Fire Barrier Pass-Through Device PT4SD, 4 in Square, 6/Case



3M™ Fire Barrier Mortar



3M™ Fire Barrier Sealant IC 15WB+



3M™ Fire Barrier Pass-Through Devices Round



3M™ Fire Barrier Composite Sheet CS-195+



3M™ Fire Barrier Sealant FD 150+



3M™ Fire Barrier Wrap Strips FS-195+, 2 in x 24 in, 10 Each/Case



3M™ Fire Barrier Pass-Through Device Foam Plugs



3M™ Fire Barrier Plenum Wrap 5A+



3M™ Fire Barrier Sealant CP 25WB+



3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Blue, 0.9 m x 6.0 m, 1... Roll/Case



3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Grey, 1.2 m x 12 m, 1 Roll/Case



3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, D/Grey, 1.2 m x 6.0 ...
1 Roll/Case



3M™ Nomad™ Scraper Matting 8250, Backed, Dark Grey, 1.2 m x 15 m, 1 Roll/Case



3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, D/Grey, 0.9 m x 6.0 ...
1 Roll/Case



3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, Black, 1.2 m x 6.0 m, ...
Roll/Case



3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, Black, 0.9 m x 6.0 m, ...
Roll/Case



3M™ Interam™ Endothermic Mat ES-5A-12, .62 M x 6.1 M, 1 Roll/Case



3M™ Fire Protection Products Sales Demo Kit



3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Grey, 1.2 m x 12.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Red, 1.2 m x 12.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Red, 1.2 m x 9 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Red, 0.9 m x 6.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Red, 1.2 m x 6.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper, Black,
1.2 m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper, Black,
1.2 m x 9 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper, Black,
0.9 m x 9 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper, Black,
0.9 m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
Brown, 1.2 m x 9 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
Brown, 1.2 m x 6.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
Brown, 0.9 m x 9 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
Brown, 0.9 m x 6.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Grey, 1.2 m x 6.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Blue, 1.2 m x 6.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Grey, 0.9 m x 6.0 m, 1...
Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Grey, 0.9 m x 9 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
8200, Unbacked Scraper,
D/Grey, 1.2 m x 9 m, 1 Roll/...
Case



3M™ Fire Barrier FS-195+ No
Foil Sheet



3M™ Interam™ Endothermic
Mat ES-5C-12, 622 mm x 6.09
m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, D/Grey,
0.9 m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Brown,
0.9 m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Brown,
1.2 m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Blue, 1.2
m x 12 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Black,
1.2 m x 6.0 m, 1/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, D/Grey,
1.2 m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Brown,
1.2 m x 12 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Green,
1.2 m x 12 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Green,
0.9 m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Green,
1.2 m x 6.0 m, 1 Roll/Case

3M™ Nomad™ Scraper Matting
6850, Backed Scraper, D/Grey,
0.9 m x 12 m, 1 Roll/Case

3M™ Nomad™ Scraper Matting
6850, Backed Scraper, D/Red,
1.2m x 6.0m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, D/Red,
0.9 m x 6.0 m, 1 Roll/Case

3M™ Nomad™ Scraper Matting
6850, Backed Scraper, D/Red,
1.2 m x 12 m, 1 Roll/Case

3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Blue, 1.2
m x 6.0 m, 1 Roll/Case



3M™ Nomad™ Scraper Matting
6850, Backed Scraper, D/Blue,
0.9 m x 12 m, 1 Roll/Case

3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Black,
1.2 m x 12 m, 1 Roll/Case

3M™ Nomad™ Scraper Matting
6850, Backed Scraper, Black,
0.9 m x 6.0 m, 1 Roll/Case



3M™ Interam™ Mat I-10A, 49 in
x 25 ft, 1 Roll/Case

3M™ Interam™ Endothermic Mat
E-54C, 24.5 in x 20 ft, 1
Roll/Case

3M™ Interam™ Mat I-10

3M™ Interam™ Mat I-10

Details

Ceramic fiber based materials expand in thickness only to provide low-density insulation when exposed to high temperatures or flames
Flexible mats can conform around complex shapes and surfaces to allow them to be easily incorporated into various fire protection systems
Allows heat dissipation in unexpected state
Lightweight mats are easily cut to the desired size and shape
Easy to install and no surface preparation is required

Typical properties

Brands: Interam™
Fire Rating: Up to 2 hours
Product Color: Silver
Product Series: I-10
Product Type: Endothermic Mat
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 25 ft, 75 ft
Overall Length (Metric): 7.6 m, 22.86 m
Overall Thickness (Imperial): 0.1875 in
Overall Width (Imperial): 50 in
Overall Width (Metric): 1270 mm

3M™ Interam™ Endothermic Mat E-54C, 24.5 in x 20 ft, 1 Roll/Case

3M Product Number E-54C 3M ID 7100023072 UPC 00051115549144

Details

Protects against high temperatures and flame

Endothermic design releases cooling chemical-bound water when exposed to extreme heat

Versatile – rated for structural steel, electrical circuits, hydrocarbon pool fires

Flexible – easy to cut and configure for installation on complex shapes and around corners

Available with stainless steel scrim for use with 3M™ Stainless Steel Tape T-65

Typical properties

Brands: Interam™

Fire Rating: Up to 4 hours

Product Color: Silver

Product Series: E-54C

Product Type: Endothermic Mat

eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 20 ft

Overall Length (Metric): 6.1 m

Overall Width (Imperial): 24.5 in

Overall Width (Metric): 622 mm

3M™ Interam™ Mat I-10A, 49 in x 25 ft, 1 Roll/Case

3M Product Number I-10A 3M ID 7000006369 UPC 00051115002366

Details

3 mil aluminum lamination adds stability for precise cutting, converting and installation

Ceramic fiber based materials expand for low-density insulation to high temperatures or flames

Flexible, conformable mats incorporate easily into various fire protection systems

Allows heat dissipation in unexpected state

Lightweight mats are easily cut to desired sizes and shapes

Easy to install and no surface preparation is required

Typical properties

Brands: Interam™

Product Type: Mat

eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 25 ft

Overall Length (Metric): 7.62 m

Overall Width (Imperial): 4.083 ft

Overall Width (Metric): 1.244 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Black, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284137

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Black
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 2.953 ft
Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Black, 1.2 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284146

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Black
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 39.37 ft
Overall Length (Metric): 12 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Blue, 0.9 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284139

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Dark Blue
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 39.37 ft
- Overall Length (Metric): 12 m
- Overall Width (Imperial): 2.953 ft
- Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Blue, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284153

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Blue
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 19.685 ft
- Overall Length (Metric): 6 m
- Overall Width (Imperial): 3.937 ft
- Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Red, 1.2 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284150

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Red
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 39.37 ft
Overall Length (Metric): 12 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Red, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284148

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Red
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 2.953 ft
Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Red, 1.2m x 6.0m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284149

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Red
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Grey, 0.9 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284143

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Gray
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 39.37 ft
Overall Length (Metric): 12 m
Overall Width (Imperial): 2.953 ft
Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Green, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284141

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Green
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 19.685 ft
- Overall Length (Metric): 6 m
- Overall Width (Imperial): 3.937 ft
- Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Green, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284145

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Green
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 19.685 ft
- Overall Length (Metric): 6 m
- Overall Width (Imperial): 2.953 ft
- Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Green, 1.2 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284147

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Green
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 39.37 ft
Overall Length (Metric): 12 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Brown, 1.2 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284152

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Brown
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 39.37 ft
- Overall Length (Metric): 12 m
- Overall Width (Imperial): 3.937 ft
- Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Grey, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284140

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Dark Gray
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 19.685 ft
- Overall Length (Metric): 6 m
- Overall Width (Imperial): 3.937 ft
- Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Black, 1.2 m x 6.0 m, 1/Case

Part Number 6850 3M Product Number 6850 3M ID 7100282748

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Black
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Blue, 1.2 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284142

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Blue
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 39.37 ft
- Overall Length (Metric): 12 m
- Overall Width (Imperial): 3.937 ft
- Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Brown, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284138

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Brown
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, Brown, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284151

Details

- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Holds and hides dirt and sand, so the surface stays neat and clean
- Foam backing reduces creeping and provides added foot comfort
- Easy installation
- Fade resistant
- The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
- Flexible coils brush shoe soles
- First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

- Backing: Yes
- Brands: Nomad™
- Factory ISO Certification: No ISO Certification information available
- Material: Vinyl
- Product Color: Brown
- Product Type: Scraper Matting
- Traffic Type: Medium
- eClass 14 Classification Group: 29110109

Dimensions and Classifications

- Overall Length (Imperial): 19.685 ft
- Overall Length (Metric): 6 m
- Overall Width (Imperial): 2.953 ft
- Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Grey, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284154

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Gray
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 2.953 ft
Overall Width (Metric): 0.9 m

3M™ Interam™ Endothermic Mat ES-5C-12, 622 mm x 6.09 m, 1 Roll/Case

3M Product Number ES-5C-12 3M ID 7100141721 UPC 00076308866990

Details

Provides protection against intense fires including hydrocarbon pool fires
Endothermic design releases cooling chemical-bound water when exposed to extreme heat
Versatile – rated for structural steel, electrical circuits, wall opening membranes
Non-corrosive and requires no maintenance when properly installed

Typical properties

Brands: Interam™
Fire Rating: Up to 4 hours
Product Type: Mat
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 20 ft
Overall Length (Metric): 6.09 m
Overall Width (Imperial): 2.034 ft
Overall Width (Metric): 618.744 mm

3M™ Fire Barrier FS-195+ No Foil Sheet

3M ID B5005037003

Details

Standard offering is a 28 in x 41 in sheet

Typical properties

Brands: 3M™

Product Type: Intumescent Strip

eClass 14 Classification Group: 15310200

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Grey, 1.2 m x 9 m, 1 Roll/ Case

Part Number 8200 3M Product Number 8200 3M ID 7100284052

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Gray

Product Type: Scra

Dimensions and Classifications

Overall Length (Imperial): 29.528 ft

Overall Length (Metric): 9 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Grey, 0.9 m x 9 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284047

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Gray

Product Type: Scra

Dimensions and Classifications

Overall Length (Imperial): 29.528 ft

Overall Length (Metric): 9 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Grey, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284049

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Gray

Product Type: Scra

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Blue, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284051

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Blue

Product Type: Scra

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Grey, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284050

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Gray

Product Type: Scra

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Brown, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284037

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Brown

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Brown, 0.9 m x 9 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100283945

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Brown

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 29.528 ft

Overall Length (Metric): 9 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Brown, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100283947

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Brown

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Brown, 1.2 m x 9 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284045

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Brown

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 29.528 ft

Overall Length (Metric): 9 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Black, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284033

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Black

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Black, 0.9 m x 9 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284035

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Black

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 29.528 ft

Overall Length (Metric): 9 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Black, 1.2 m x 9 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284036

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Black

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 29.528 ft

Overall Length (Metric): 9 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, Black, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284044

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Black

Product Type: Scraper

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Red, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284053

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Red

Product Type: Scrap

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Red, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284048

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Red

Product Type: Scrap

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Red, 1.2 m x 9 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100283948

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Red

Product Type: Scrap

Dimensions and Classifications

Overall Length (Imperial): 29.528 ft

Overall Length (Metric): 9 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Grey, 1.2 m x 12.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284046

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Gray

Product Type: Scra

Dimensions and Classifications

Overall Length (Imperial): 39.37 ft

Overall Length (Metric): 12 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Red, 1.2 m x 12.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100284054

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Red

Product Type: Scrap

Dimensions and Classifications

Overall Length (Imperial): 39.37 ft

Overall Length (Metric): 12 m

Overall Width (Imperial): 3.937 ft

Overall Width (Metric): 1.2 m

3M™ Fire Protection Products Sales Demo Kit

3M ID B5000000308

Typical properties

Brands: 3M™

eClass 14 Classification Group: 15310200

3M™ Interam™ Endothermic Mat ES-5A-12, .62 M x 6.1 M, 1 Roll/Case

3M Product Number ES-5A-12 3M ID 7100068956 UPC 00051115549267

Typical properties

Brands: Interam™
Fire Rating: Up to 4 hours
Product Type: Mat
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 20 ft
Overall Length (Metric): 6.09 m
Overall Width (Imperial): 2.034 ft
Overall Width (Metric): 618.744 mm

3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, Black, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 8250 3M Product Number 8250 3M ID 7100283592

Details

Backed mat for use indoors, outdoors, or in recessed wells of high traffic areas
Open web construction removes, traps and hides dirt
Flexible coils brush shoe soles
Cushioned vinyl backing protects floors in inside areas
Easy to clean: shake or wash off with a hose
Provides resistance to grease and oil

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Black
Product Type: Scraper Matting
Traffic Type: Heavy
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 2.953 ft
Overall Width (Metric): 0.9 m

3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, Black, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 8250 3M Product Number 8250 3M ID 7100284034

Details

Backed mat for use indoors, outdoors, or in recessed wells of high traffic areas
Open web construction removes, traps and hides dirt
Flexible coils brush shoe soles
Cushioned vinyl backing protects floors in inside areas
Easy to clean: shake or wash off with a hose
Provides resistance to grease and oil

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Black
Product Type: Scraper Matting
Traffic Type: Heavy
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, D/Grey, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 8250 3M Product Number 8250 3M ID 7100284038

Details

Backed mat for use indoors, outdoors, or in recessed wells of high traffic areas
Open web construction removes, traps and hides dirt
Flexible coils brush shoe soles
Cushioned vinyl backing protects floors in inside areas
Easy to clean: shake or wash off with a hose
Provides resistance to grease and oil

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Gray
Product Type: Scraper Matting
Traffic Type: Heavy
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 2.953 ft
Overall Width (Metric): 0.9 m

3M™ Nomad™ Scraper Matting 8250, Backed, Dark Grey, 1.2 m x 15 m, 1 Roll/Case

Part Number 8250 3M Product Number 8250 3M ID 7100304704

Details

Backed mat for use indoors, outdoors, or in recessed wells of high traffic areas
Open web construction removes, traps and hides dirt
Flexible coils brush shoe soles
Cushioned vinyl backing protects floors in inside areas
Easy to clean: shake or wash off with a hose
Provides resistance to grease and oil

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Gray
Product Type: Scraper Matting
Traffic Type: Heavy
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 49.213 ft
Overall Length (Metric): 15 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Heavy Traffic Entrance Matting 8250, Backed Scraper, D/Grey, 1.2 m x 6.0 m, 1 Roll/Case

Part Number 8250 3M Product Number 8250 3M ID 7100283949

Details

Backed mat for use indoors, outdoors, or in recessed wells of high traffic areas
Open web construction removes, traps and hides dirt
Flexible coils brush shoe soles
Cushioned vinyl backing protects floors in inside areas
Easy to clean: shake or wash off with a hose
Provides resistance to grease and oil

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Gray
Product Type: Scraper Matting
Traffic Type: Heavy
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft
Overall Length (Metric): 6 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 6850, Backed Scraper, D/Grey, 1.2 m x 12 m, 1 Roll/Case

Part Number 6850 3M Product Number 6850 3M ID 7100284144

Details

Excellent dirt removal and hiding properties
Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
Holds and hides dirt and sand, so the surface stays neat and clean
Foam backing reduces creeping and provides added foot comfort
Easy installation
Fade resistant
The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect
Flexible coils brush shoe soles
First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Backing: Yes
Brands: Nomad™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Dark Gray
Product Type: Scraper Matting
Traffic Type: Medium
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 39.37 ft
Overall Length (Metric): 12 m
Overall Width (Imperial): 3.937 ft
Overall Width (Metric): 1.2 m

3M™ Nomad™ Scraper Matting 8200, Unbacked Scraper, D/Blue, 0.9 m x 6.0 m, 1 Roll/Case

Part Number 8200 3M Product Number 8200 3M ID 7100283946

Details

Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Provide resistance to grease and oil

Excellent dirt removal and hiding properties

Easy to clean: shake or wash off with a hose

Open web construction removes, traps and hides dirt

Flexible coils brush shoe soles

Typical properties

Backing: No

Brands: Nomad™

Factory ISO Certification: No ISO Certification information available

Material: Vinyl

Placement Area: Facilities entrance (Hotels, restaurants, big surfaces and general commerce)

Product Color: Dark Blue

Product Type: Scra

Dimensions and Classifications

Overall Length (Imperial): 19.685 ft

Overall Length (Metric): 6 m

Overall Width (Imperial): 2.953 ft

Overall Width (Metric): 0.9 m

3M™ Fire Barrier Sealant CP 25WB+

Details

Firestop tested for through penetration applications up to 4 hours in accordance with ASTM E814 (UL 1479) and CAN/ULC-S115
Sag-resistant properties offer clean application as well as strong adhesion in both wall and floor applications
Water-based and paintable sealant provides easy application and clean-up
Sealant is re-enterable and repairable
Fire resistance tested for static construction joint systems in accordance with ASTM E 1966 (UL 2079)
Sealant helps minimize sound transfer

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 12.0 Bags per Case
Composition: Acrylic
Container Size (Imperial): 2 Gal. (US), 5 Gal. (US), 10.1 fl oz (US), 20 fl oz (US), 27 fl oz (US)
Container Size (Metric): 18.9 Liter, 300 ml, 59

3M™ Fire Barrier Plenum Wrap 5A+

Details

Strong, lightweight and flexible material for easy installation
Tested to ASTM E 84, NFPA 262 (UL 910) and UL 1887
Features a foil encapsulated scrim
Designed as a non-asbestos wrap
Intended for use on cables, PVC, CPVC, PB, PE, PP, PVDF and pipes in return air plenums

Typical properties

Application: Commercial Construction
Brands: 3M™
Product Color: Silver
Product Type: Plenum Wrap
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 25 ft, 50 ft
Overall Length (Metric): 7.62 m, 15.24 m
Overall Thickness (Imperial): 0.5 in
Overall Thickness (Metric): 12.7 mm
Overall Width (Imperial): 24 in, 48 in
Overall Width (Metric): 121.92 cm, 609.6 mm

3M™ Fire Barrier Pass-Through Device Foam Plugs

Details

Maintains cold smoke seal when used in conjunction with 3M™ Fire Barrier Pass-Through Devices
Foam plugs are re-enterable and reusable
Easy installation with no cure time saves time and labor
Helps reduce sound transmission

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 24.0 Bags per Case
Fire Rating: Up to 3 hr
Product Color: Black
Product Type: Foam Plugs
Water-tight: No
eClass 14 Classification Group: 15310200

3M™ Fire Barrier Wrap Strips FS-195+, 2 in x 24 in, 10 Each/Case

Part Number FS-195+ 3M Product Number FS-195+ 3M ID 7000006371

Details

Material is intumescent for thermal insulation (Intumescent material effectively firestops non-metallic penetrants)
Aluminum foil exterior makes for accurate, effective installation
Easily installed – simply wrap, secure and seal
Re-enterable material saves time and money after installation
Firestop tested up to 4 hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Brands: 3M™
Fire Rating: Up to 4 hours
Product Color: Red
Product Type: Intumescent Strip
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 24 in
Overall Length (Metric): 60.96 cm
Overall Width (Imperial): 2 in
Overall Width (Metric): 5.08 cm

3M™ Fire Barrier Sealant FD 150+

Details

Firestop tested up to 3 hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC S115
Fire resistive joint system tested up to 4 hours in accordance with ASTM E 1966 (UL 2079)
Continuous seal remains pliable and allows for typical pipe movement
Water-based for easy installation, cleanup and disposal
High-solids formula means limited shrinkage
Re-enterable and repairable fire barrier sealant
Multi-viscosity grade offers excellent sealant and caulking properties
Sealant helps minimize noise transfer

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 6.0 Bags per Case, 1.0 Bags per Case, 12.0 Bags per Case
Composition: Acrylic
Container Size (Imperial): 4.5 Gal. (US), 10.1 fl oz (US), 20 fl oz (US), 28 fl oz (US)
Container Size (Metric

3M™ Fire Barrier Composite Sheet CS-195+

Details

Four-component intumescent system is ideal for firestopping larger penetrations such as cable trays and conduit

Forms effective intermittent fire-break within horizontal and vertical cable tray runs

Hard char material tightly seals penetrations against flame spread, smoke and toxic gases

Easy to install: cut, form and install using common trade tools for nearly any size

Thermally conductive: allows unwanted heat build-up to escape, helping reduce derating issues

Re-enterable for new or retrofit installations

Firestop tested for up to 4 hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 1.0 Bags per Case

Fire Rating: Up to 4 hours

Product Color: Silver

Product Form: Sheet

Product Type: Composite Sheet

Water-tight: No

eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Height (Imperial): 0.303 in

Overall Height (Metric): 7.696 mm

Overall Length (Imperial): 3.42 ft, 28 in, 36 in, 52 in

Overall Length (Metric): 0.914 m, 1.042 m, 1.32 m, 722 mm

Overall Width (Imperial): 1.33 ft, 2 ft, 3 ft, 28 in

Overall Width

3M™ Fire Barrier Pass-Through Devices Round

Details

Cable management solution for electrical, data and communication applications
One-piece, round hinged metal enclosure makes installation fast and easy
Intumescent material and foam smoke seals provide lasting firestop protection
Round shape fits easily into standard hole saw, dry or wet core bit openings
Re-enterable for high traffic areas or blank penetrations
Firestop tested for up to 3 hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 6.0 Bags per Case
Fire Rating: Up to 3 hr
Product Color: Black
Product Type: Pass-through Device
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Diameter (Imperial): 2 in, 4 in
Overall Diameter (Metric): 51 mm, 102 mm
Overall Length (Imperial): 2 in, 4 in
Overall Length (Metric): 51 m, 102 m

3M™ Fire Barrier Sealant IC 15WB+

Details

Firestop tested for through penetration applications for up to 3 hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC S115
Sealant designed to help minimize sound transfer
Water-based and paintable sealant provides easy application and clean-up
Exceptional adhesion for long-term performance
Applied with conventional caulking equipment with excellent caulk rate
Sag-resistant properties offer clean application as well as strong adhesion
Sealant is re-enterable and repairable
Fire resistance tested for static construction joint systems in accordance with ASTM E 1966 (UL 2079)

Typical properties

Brands: 3M™
Composition: Acrylic
Container Size (Imperial): 4.5 Gal. (US), 10.1 fl oz (US), 20 fl oz (US)
Container Size (Metric): 17 Liter, 300 ml, 591 ml
Fire Rating: Up to 3 hr
Fire Resistance Type: Intumescent
Maximum Service Temperature (Celsius)

3M™ Fire Barrier Mortar

Details

Ready-to-mix pumpable mortar is ideal for firestopping large annular spaces and floors

Lightweight mortar designed to absorb heat, reducing chance of combustion on unexposed sides

Polypropylene-fiber reinforced powder mixes with water for self-leveling or non-sag applications

Contains no asbestos, MMMF or halogens

Firestop tested for up to 3 hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC-S115

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 1.0 Bags per Case

Container Size (Imperial): 5 Gal. (US), 44 lb.

Container Size (Metric): 18.927 Liter, 19.95 kg

Fire Rating: Up to 3 hr

Fire Resistance Type: Endothermic

Maximum Servi

3M™ Fire Barrier Pass-Through Device PT4SD, 4 in Square, 6/Case

3M Product Number PT4SD 3M ID 7100004181 UPC 00051115165979

Details

Cable management solution for electrical, data and communication applications
One-piece, square hinged metal enclosure makes installation fast and easy
Intumescent material and foam smoke seals provide lasting firestop protection
Square shape allows for stacking multiple boxes for ganging
Re-enterable for high traffic areas or blank penetrations
Firestop tested for up to 3 hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 6.0 Bags per Case
Fire Rating: Up to 3 hr
Product Color: Black
Product Type: Pass-through Device
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 4 in
Overall Length (Metric): 102 mm
Overall Width (Imperial): 4 in
Overall Width (Metric): 102 mm

3M™ Fire Barrier Rated Foam FIP 1-Step

Details

Firestop tested and rated up to 2 hours in accordance with ASTM E814 (UL 1479) and CAN/ULC-S115

Re-enterable and repairable foam remains pliable after installation

Excellent adhesion and does not require backing material in wall or floor applications

Paintable with primer

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 6.0 Bags per Case, 12.0 Bags per Case

Container Size (Imperial): 12.85 fl oz (US)

Container Size (Metric): 380.019 ml

Fire Rating: Up to 2 hours

Product Color: Maroon

Product Type: Foam

3M™ Fire and Water Barrier Tape

Details

Provides fire, water and smoke protection in construction and perimeter joints
Works as acoustic barrier by minimizing noise transfer
Broad temperature range when applying
High tack adhesive sticks to many common building materials
Acts as an immediate barrier to water leakage

Typical properties

Brands: 3M™
Industries: Appliance, Automotive, Construction, General Industrial, Transportation
Product Form: Roll
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 75 ft, 77 ft, 79 ft, 82 ft, 84 ft, 86 ft
Overall Length (Metric): 22.86 m
Overall Width (Imperial): 2 in, 3 in, 4 in, 6 in, 8 in, 12 in
Overall Width (Metric): 5.08 cm, 7.62 cm, 10.16 cm, 15.24 cm, 20.32 cm, 30.48 cm

3M™ Fire Barrier Duct Wrap 615+

Details

Proven alternative to 1- and 2-hour fire resistant rated shaft enclosures for grease ducts
Lightweight and thin, for ease of installation and space saving, while allowing custom installation applications with multiple layers where needed
Butted inner layer in 2-layer grease duct applications
Zero clearance to combustibles throughout the entire enclosure system

Typical properties

Brands: 3M™
Fire Rating: Up to 2 hours
Product Color: Silver
Product Type: Duct Wrap, Duct Wrap Collar
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 25 ft
Overall Length (Metric): 7.62 m
Overall Thickness (Imperial): 1.5 in
Overall Thickness (Metric): 3.81 cm
Overall Width (Imperial): 6 in, 24 in, 48 in
Overall Width (Metric): 15.24 cm, 60.96 cm, 121.92 cm

3M™ Fire Barrier Pass-Through Brackets Square

Details

Designed to work in conjunction with 3M™ Fire Barrier Pass-Through Device – Square
Durable metal brackets add strength and support to through penetration firestop assemblies
Brackets come in pairs for securing the device on each side of the penetration
Brackets are also available sized for stacked three-plex and six-plex square device configurations
Includes bracket screws for consistency and convenience

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 48.0 Bags per Case
Fire Rating: Up to 3 hr
Product Color: Silver
Product Type: Mounting Bracket
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 4 in, 12 in
Overall Length (Metric): 102 mm, 305 mm
Overall Width (Imperial): 4 in, 8 in
Overall Width (Metric): 102 mm, 203 mm

3M™ Fire Barrier Tuck-In Wrap Strips

Details

Engineered for top-side, firestop, through-penetration installations
Helps eliminate the need for retaining collars, concrete screws, etc., saving time and labor
UL tested and fire-rated for up to 3 hours
Flexible strips wrap around pipe to fill tough areas and gaps
Adhesive-backed label offers quick installation
Expands 100x in volume

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 6.0 Bags per Case
Fire Rating: Up to 3 hr
Industries: Construction
Product Color: Red
Product Form: Roll
Product Type: Tuck-In Wrap Strip
Water-tight: No
eClass 14 Classification Gro

Dimensions and Classifications

Overall Length (Imperial): 8.2 ft, 12 in, 15 in
Overall Length (Metric): 2.499 m, 2.5 m, 30.48 cm, 38.1 cm
Overall Thickness (Imperial): 0.1875 in
Overall Thickness (Metric): 4.762 mm
Overall Width (Imperial): 2.5 in
Overall Width (Metric): 6.35 cm

3M™ Matting Seaming Tape, Brown, 2 in x 100 ft, Roll, 5/Case

3M ID 7000028445 UPC 50048011094576

Details

For use with all 3M™ Nomad™ Matting and 3M Safety-Walk™ Matting products to make wider or longer mats
3M adhesive technology to help keep mats where they belong
For use in multiple matting types

Typical properties

Brands: 3M™
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Placement Area: Building Entrances, Foyers, Work Areas
Product Color: Brown
Product Type: Seaming Tape
Quantity: 5/Case
Recommended Industry: Automoti

Dimensions and Classifications

Overall Length (Imperial): 100 ft
Overall Length (Metric): 30.48 m
Overall Width (Imperial): 2 in
Overall Width (Metric): 5.08 cm

Albion® Battery Operated Power Dispenser, 1/case

3M Product Number DISP_GUN 3M ID 7100170625 UPC 00076308146108

Details

With a full barrel to limit cartridge swelling under pressure, this tool eliminates the messy leakage or "blow-by" caused by other guns

Typical properties

Brands: Private Label
Product Type: Dispenser
eClass 14 Classification Group: 15310200

3M™ Fire Barrier Pass-Through Brackets Round

Details

Designed to work in conjunction with 3M™ Fire Barrier Pass-Through Device - Round
Durable metal brackets add strength and support to through penetration firestop assemblies
Brackets come in pairs for securing the device on each side of the penetration
Includes bracket screws for consistency and convenience

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 48.0 Bags per Case
Fire Rating: Up to 3 hr
Product Color: Silver
Product Type: Mounting Bracket
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Diameter (Imperial): 2 in, 4 in
Overall Diameter (Metric): 51 mm, 102 mm
Overall Length (Imperial): 4 in
Overall Length (Metric): 102 mm

3M™ Smoke and Sound Sealant SS-100, White, 20 fl oz Sausage Pack, 12/Case

3M Product Number SS-100 3M ID 7100038650 UPC 00051115549236

Details

- Creates an effective barrier to mitigate smoke and toxic gas spread
- Helps minimize sound transfer
- Latex acts as a draftstop to prevent unwanted air movement
- Sealant provides a barrier against dust and other airborne particulates
- Adheres to a full range of construction substrates
- Elastomeric polymer stretches and constricts depending on volume

Typical properties

- Brands: 3M™
- Container Size (Imperial): 20 fl oz (US)
- Container Size (Metric): 591 ml
- Features: Low Odor
- Hardness: 60 Shore A
- Movement Capability: 10%
- Product Color: White
- Product Type: Sealant
- STC Rating: Up to 56 in a 56 Rated Wall
- Smoke Develop

3M™ Fire Barrier Cast-In Tub Box Assembly 3TB, 3 in, 6/Case

3M ID 7000148881 UPC 00051115165863

Details

Firestop tested for up to 3 hours, when used in conjunction with a 2-inch (50.8 mm) 3M™ Fire Barrier Cast-In Device for metallic and non-metallic penetrations, in accordance with ASTM E 814 (UL 1479)
Easily adjusted height accommodates concrete thickness from 4-1/2 inches to 8 inches (114.3 mm to 203.2 mm)
Eliminates time and expense of core drilling holes in concrete
Easy-to-install, annular space allows for hassle-free pipe installation
Accommodates 1-1/2 inch and 2 inch pipe (38.1mm and 50.8 mm)
UL Classified, universally recognized independent test agency
Tear strips allow installers to easily adjust height for various concrete thicknesses
Installs securely by attaching directly to forms and floor decking
Rugged one-piece design withstands impact during everyday construction

Typical properties

Brands: 3M™
Fire Rating: Up to 3 hr
Product Color: Red
Product Type: Cast-in Device
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Width (Imperial): 3 in
Overall Width (Metric): 76 mm

3M™ Ultra Fast Anchors UFA-16, 3/4 in x 16 in, (40 Each/Bag) 400 Each/Case

3M Product Number ULTRA-16 3M ID 7000133822 UPC 00051115115301

Details

Designed specifically for anchoring the 3M™ Fire Barrier Ultra Plastic Pipe Device to walls and floor/ceiling assemblies quickly and permanently
Works with tabs on 3M Ultra Plastic Pipe Device
Bendable metal straps replace need for toggle screws, masonry anchors or power tools
Anchors in as little as 1 minute

Typical properties

Application: Commercial Construction
Brands: 3M™
Fire Rating: Up to 2 hours
Product Type: Hardware
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 16 in
Overall Width (Imperial): 0.75 in
Overall Width (Metric): 19.05 mm

3M™ Fire Barrier Water Tight Spray

Details

Meets UL Water Leakage Test, W-Rating— Class One requirements for systems tested and listed in accordance with ANSI/UL 1479

Up to 3-hour fire protection in construction joints per ASTM E 1966 (UL 2079)

Seals interior construction voids

Superior washout resistance – Passes ASTM D 6904 24 hour exposure after 2 hour cure time

Helps minimize noise transfer (STC Rated)

CPVC compatible

Typical properties

Brands: 3M™

Container Size (Imperial): 5 Gallon

Container Size (Metric): 18.927 Liter

Fire Rating: Up to 3 hr

Industries: Appliance, Automotive, Construction, Electronics, General Industrial, Marine, Metalworking, Transportation

Product Color: Red, W

3M™ FireDam™ Spray 200

Details

Provides up to 4-hour fire protection in construction joints per ASTM E 1966 (UL 2079)

Provides up to 3-hour fire protection in perimeter fire barrier systems (curtain walls) in accordance with ASTM E 2307

Highly elastic sealer is compression/extension tested up to $\pm 50\%$ of nominal joint width without cracking

Resists freezing and thaws for a consistent seal in a range of conditions

Water-based formula cleans up easily and saves time

Typical properties

Brands: 3M™

Container Size (Imperial): 5 Gallon

Container Size (Metric): 18.927 Liter

Fire Rating: Up to 4 hours

Movement Capability: 50%

Product Color: Gray, Red

Product Form: Drum

Product Type: Spray

Smoke Seal: Yes

Sound Barrier: 56 in 56

Vol

3M™ Fire Barrier Cast-In Devices for Plastic Pipes

Details

Eliminates time and expense of core drilling holes in concrete
Designed specifically for plastic pipes and other non-metallic through penetrants
Tear strips allow installers to easily adjust height for various concrete thicknesses
Installs securely by attaching directly to forms and floor decking
Rugged one-piece design withstands impact during everyday construction
Intumescent devices are firestop tested for up to 3 hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Brands: 3M™
Fire Rating: Up to 3 hr
Product Color: Red
Product Type: Cast-in Device
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Diameter (Imperial): 2 in, 3 in, 4 in, 6 in
Overall Diameter (Metric): 51 mm, 76 mm, 102 mm, 152 mm

3M™ Fire Barrier Plastic Pipe Device

Details

Tested up to 2 hours in accordance with ASTM E814 (UL 1479) & CAN/ULC-S115

Designed for non-metallic pipes

One-piece metal construction requires no assembly

Tabs let installers anchor penetrations to slabs quickly and permanently

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 10.0 Bags per Case

Fire Rating: Up to 3 hr

Product Color: Silver

Product Type: Plastic Pipe Device

Water-tight: No

eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Diameter (Imperial): 1.5 in, 2 in, 3 in, 4 in, 6 in

Overall Diameter (Metric): 38 mm, 51 mm, 76 mm, 102 mm, 152 mm

3M™ Fire Barrier Plug PLG2, 2 in, Maroon, 4/Case

Part Number PLG2 3M Product Number PLG4 3M ID 7010353409

Details

Works with 2-inch Round 3M™ Fire Barrier Pass-Through Device to help prevent the spread of smoke and fire

Enhance cold and hot smoke seal

Plays a part in a system that allows pass-through device to achieve UL classified L-Rating

Foam plugs are part of a hassle-free firestop method

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 4.0 Bags per Case

Fire Rating: Up to 2 hours

Industries: Construction

Product Form: Each

Product Type: Plug

eClass 14 Classification Group: 15310200

3M™ Nomad™ Entrance Matting 9100

Details

Vinyl scraper entrance mat designed for heavy-traffic applications
Durable Z-web construction provides excellent support for light wheeled traffic such as carts and wheelchairs
Open construction allows easy cleaning
Easy to clean: shake or wash off with a hose
High-tech product coating for added protection
Durable vinyl construction
Unbacked to allow dirt to fall through

Typical properties

Backing: No
Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Product Color: Black, Dark Gray
Product Type: Scraper Matting
Traffic Type: Extreme
eClass 14 Classification Group: 29110109

Dimensions and Classifications

Overall Length (Imperial): 4.921 ft, 19.685 ft, 49.213 ft
Overall Length (Metric): 1.5 m, 6 m, 15 m
Overall Width (Imperial): 2.953 ft
Overall Width (Metric): 0.9 m

3M™ Fire Barrier Water Tight Sealant 3000 WT

Details

Firestop tested up to 4 hours in accordance with ASTM E814 (UL 1479) and CAN/ULC-S114

High-solids formula produces limited shrinkage

Continuous seal remains pliable and allows for typical pipe movement

Re-enterable and repairable fire barrier sealant

Offers excellent sealant and caulking properties

Sealant helps minimize noise transfer

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 12.0 Bags per Case

Composition: Silicone

Container Size (Imperial): 4.5 Gal. (US), 10.1 fl oz (US), 20 fl oz (US)

Container Size (Metric): 17 Liter, 300 ml, 591 ml

Expansion Volume Volu

3M™ Fire Barrier Cast-In Devices for Metal Pipes

Details

Eliminates time and expense of drilling firestop holes in concrete
Designed specifically for metal pipes and other metallic through penetrants
Tear strips allow installers to easily adjust height for various concrete thicknesses
Installs securely by attaching directly to forms and floor decking
Rugged one-piece design withstands impact during everyday construction
Intumescent devices are firestop tested for up to 3 hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Brands: 3M™
Fire Rating: Up to 3 hr
Product Color: Red
Product Type: Cast-in Device
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Diameter (Imperial): 2 in, 3 in, 4 in, 6 in
Overall Diameter (Metric): 51 mm, 76 mm, 102 mm, 152 mm

3M™ Fire Barrier Dryer Ventilation Wrap

Details

Can provide single-layer 1-hour fire protection rating for small sheet steel duct systems
Strong, lightweight and flexible for easy installation
Features foil-encapsulated scrim
Non-asbestos wrap
Tested to ASTM E2816 Condition B

Typical properties

Brands: 3M™
Fire Rating: Up to 1 hr
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 25 ft
Overall Length (Metric): 7.62 m
Overall Thickness (Imperial): 0.5 in
Overall Thickness (Metric): 12.7 mm
Overall Width (Imperial): 16 in, 20 in, 32 in
Overall Width (Metric): 406.4 mm, 508 mm, 812.8 mm

3M™ Fire Block Sealant FB136, Gray, 10.1 fl oz Cartridge, 12/Case

Part Number FB136 3M Product Number 136 3M ID 7100155919

Details

Tested as a Type V residential Fireblock to ASTM E 84 (modified)
Durable caulk is heat-resistant (up to 2000°F/1093°C)
Acts as a draftstop to help reduce air infiltration
Thermal insulator offers an R-Value of 4-5/inch (25.4 mm) typical
FB-136 is ready-to-use (no mixing required)
Tack-free in approximately 15 minutes
Meets International Building Code (IBC) and International Residential Code (IRC) Fireblocking Requirements
Features minimal shrinkage to help ensure longevity
Excellent adhesion that bonds to concrete, brick, metals, wood, plastic and cable jacketing
Sealant requires no special handling for routine disposal
Thixotropic material resists sag or run in vertical or overhead applications

Typical properties

Brands: 3M™
Container Size (Imperial): 10.1 fl oz (US)
Container Size (Metric): 300 ml
Maximum Service Temperature (Celsius): 750 °C
Maximum Service Temperature (Fahrenheit): 1380 °F
Product Color: Gray
Product Form: Cartridge
Product Type: Sealant

3M™ Classic Roofing Granules

Details

3M™ Classic Roofing Granules are available in a variety of beautiful colors
Tough, dense, non-porous, weather and UV resistant, ceramic-coated rock
Includes proprietary post-treatment and adhesion promoter coating to reduce staining, color variability and improve adhesion
Available in Size 11, Size 14 and Size 18 grade
Sold in 1.1 and 2 ton bags, bulk truck and railcar
3M™ Classic Roofing Granules are manufactured in the USA with globally sourced materials

Typical properties

Brands: 3M™
Bulk Density (Imperial): 93 lb/ft³ - 99 lb/ft³ Packed (3M TM058)
Color Durability: Has been proven by long-term field performance and accelerated weathering tests
Deoiled Color: Shipments will be +/- 1.0 unit to standard for L*a*b* (3M TM00

3M™ Cool Roofing Granules

Details

3M™ Cool Roofing Granules reflect significantly more solar energy than regular granules to help buildings stay cooler

Allows manufacturers to create roofing materials that meet California Title 24, or Los Angeles Green Building Code standards

Tough, dense, non-porous, weather and UV resistant, ceramic-coated rock

Available in Size 11 grade

Sold in 2 ton bags, bulk truck and railcar

3M™ Cool Roofing Granules are manufactured in the USA with globally sourced materials

Typical properties

Brands: 3M™

Bulk Density (Imperial): 93 lb/ft³ - 99 lb/ft³ Packed (3M TM058)

Color Durability: Has been proven by long-term field performance and accelerated weathering tests

Deoiled Color: Shipments will be + 1.0 unit to standard for L*a*b* (3M TM007)

3M™ Fire Barrier Water Tight Sealant 1003 SL

Details

Meets UL Water Leakage Test, W Rating (Class 1 requirements)
Self-leveling formula is optimal for horizontal applications, eliminating the need for tooling
Offers compression and extension capability of $\pm 31\%$ for dynamic and static construction joints
Firestop tested up to 3 hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC S115
Fire resistance tested for construction joint (including curtain wall) systems in accordance with ASTM E 1966 (UL 2079), ASTM E 2307
Single component sealer is ready to use with no mixing required
Neutral cure – delivers higher adhesion with very little odor
Halogen-free formula helps control spread of noxious gasses, smoke and flame
Sealant is paintable with primer
Excellent caulk rate and sealant can be applied with conventional caulking equipment
Exceptional weatherability for durability during construction
Minimizes noise transfer (STC-Rating of 56 when tested in STC 56-rated wall assembly)
Formulated as a re-enterable and repairable solution

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 12.0 Bags per Case
Composition: Silicone
Container Size (Imperial): 4.5 Gal. (US), 10.1 fl oz (US), 20 fl oz (US)
Container Size (Metric): 17 Liter, 300 ml, 591 ml
Fire Resistance Type:

3M™ Fire Barrier Cast-In Device Metal Deck Adaptors

Details

Allows for fast, easy cast-in firestop installation on fluted metal decks
Designed for use with 3M™ Fire Barrier Cast-In Devices
Easy snap-in assembly of Cast-In Devices saves time and requires no fasteners
One-piece body attaches easily to metal decking before slabs are poured
Used in conjunction with Fire Barrier Cast-In Devices, adaptors are firestop tested for up to 3-hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Brands: 3M™
Fire Rating: Up to 3 hr
Product Color: Red
Product Type: Adapter
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Diameter (Imperial): 2 in, 3 in, 4 in, 6 in
Overall Diameter (Metric): 51 mm, 76 mm, 102 mm, 152 mm

3M™ Fire Barrier Moldable Putty Stix MP+

Details

Firestop tested up to 4 hours in accordance with ASTM E 814 (UL 1479) & CAN/ULC S115
Putty provides draft and cold smoke seal
Pliable and conformable design easily molds into required shapes
Helps reduce noise transfer (STC-Rating of 56 when tested in STC 56-rated wall assembly)
Will not dry out or crumble for a re-enterable and repairable solution
Excellent adhesion and aging properties provide a long-term performance
Noncorrosive to metal and compatible with synthetic cable jackets
Low VOC, halogen-free and solvent-free formula for safe working environment with minimal odor

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 12.0 Bags per Case, 10.0 Bags per Case
Expansion Temperature (Celsius): 177 °C
Expansion Temperature (Fahrenheit): 350 °F
Expansion Volume Volume Expansion: 3X
Fire Rating: Up to 4 hours

Dimensions and Classifications

Overall Length (Imperial): 6 in, 11 in
Overall Length (Metric): 152.4 mm, 279 mm
Overall Width (Imperial): 1.4 in, 1.45 in
Overall Width (Metric): 36 mm, 36.83 mm

3M™ Smog-Reducing Granules

Details

3M™ Smog-Reducing Granules can be used to design shingles that reduce pollution in the air

Tough, dense, non-porous, weather and UV resistant, ceramic-coated rock

A granule helping to improve our climate

Available in Size 11 grade

Sold in bulk, truck and super sack. They are available in Little Rock, AR or Corona, CA.

3M™ Smog-Reducing Roofing Granules are manufactured in the USA with globally sourced materials

Typical properties

Brands: 3M™

Bulk Density (Imperial): 93 lb/ft³ - 99 lb/ft³ Packed (3M TM058)

Color Durability: Has been proven by long-term field performance and accelerated weathering tests

Deoiled Color: Shipments will be +/- 1.0 unit to standard for L*a*b* (3M TM00

3M™ Fire Barrier Electrical Box Inserts

Details

Protection of membrane penetrations for listed metallic boxes
Tested in accordance with ASTM E814 (UL 1479) (Certified as a Wall Opening Protective Material, UL Category CLIV)
STC rating of 62 when tested in a STC 62 rated wall assembly
Flexible
Convenient slits for access to wiring
Great for new construction and retro fit applications
Full adhesive backing for easy installation

Typical properties

Application: Commercial Construction
Brands: 3M™
Fire Rating: Up to 2 hours
Industries: Construction
Product Color: Red
Product Type: Electrical Box Insert
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 3.25 in, 3.75 in
Overall Length (Metric): 82.55 mm, 95.25 mm
Overall Thickness (Imperial): 0.1875 in
Overall Thickness (Metric): 4.762 mm
Overall Width (Imperial): 3.25 in, 3.75 in
Overall Width (Metric): 82.55 mm, 95.25 mm

3M™ Nomad™ Medium Traffic Entrance Matting 6050

3M ID B00013665

Details

Medium traffic: Up to 400,000 people per year

Durable vinyl construction performs in temperatures from -1F to 15F (-23C to 65C)

Excellent dirt removal and hiding properties

Vinyl loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building

Holds and hides dirt and sand, so the surface stays neat and clean

Foam backing reduces creeping and provides added foot comfort

Nose edging provides a trim look and helps prevent tripping accidents

Easy installation

Fade resistant

The integral vinyl foam backing of the mat, together with the coils, provide a cushioning effect

Flexible coils brush shoe soles

First step mat for efficient dirt removal, suitable for medium traffic volumes

Typical properties

Recommended Industry: Automotive, Electronics, Food & Beverage, General Industrial, General commerce, Metalworking, Military & Government, Military Maintenance, Military Maintenance, Repair & Operation (MRO), Repair & Operation (MO), Transportation

eClas

3M™ Clean-Walk Mat 5830 Series

Details

Thin floor mat profile minimizes tripping hazard. Bottom layer of the pad firmly attaches to most smooth, clean surfaces, such as tile or sealed concrete. Sticky mat captures dirt on contact before tracking it from one area to another. It prolongs life and appearance of floors and carpet and reduces facility maintenance and clean up. Pad length is sufficient for two step contact. Multiple adhesive layers allow for easily renewed surface. Individually numbered tabs ensure that only one layer is removed at a time.

Facilities, general industrial, maintenance, military, aerospace, construction, transportation, truck, bus, commercial vehicle, manufacturing, automotive, RV, ship yards, metal working, appliance, electronics, food and beverage.

Protecting, preventing, prolonging life, controlling contamination, reducing dirt and dust, keeping clean, removing dirt.

Typical properties

Adhesive Type: Acrylic

Backing: No

Backing Material: Polyethylene

Backing Thickness (Imperial): 1.2 mil

Factory ISO Certification: No ISO Certification information available

Industries: Appliance, Automotive, Construction, Electronics, Food and Bever

Dimensions and Classifications

Overall Height (Imperial): 0.055 in, 0.097 in

Overall Length (Imperial): 36 in, 45 in, 46 in, 60 in

Overall Length (Metric): 914 mm, 1143 mm, 1168 mm, 1524 mm

Overall Width (Imperial): 18 in, 24 in, 25 in, 36 in, 48 in

Overall Width (Metric): 457 mm,

3M™ Fire Barrier Water Tight Sealant 1000 NS

Details

Firestop tested up to 3 hours in accordance with ASTM E814 (UL 1479) and CAN/ULC-S115

Fire resistance tested for construction joint (including curtain wall) systems in accordance with ASTM E 1966 (UL 2079), ASTM E 2307

Excellent caulk rate and sealant can be applied with conventional caulking equipment

Non-slump, halogen-free formula provides strong adhesion

Exceptional weatherability for durability during construction

Minimizes noise transfer (STC-Rating of 56 when tested in STC 56-rated wall assembly)

Formulated as a re-enterable and repairable solution

Sealant is paintable with primer

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 12.0 Bags per Case

Composition: Silicone

Container Size (Imperial): 4.5 Gal. (US), 10.1 fl oz (US), 20 fl oz (US)

Container Size (Metric): 17 Liter, 300 ml, 591 ml

Fire Rating: Up to 3

3M™ Fire Barrier Cast-In Device Height Adaptors

Details

Designed for use with 3M™ Fire Barrier Cast-In Devices for firestopping through penetrations

Adds up to 4 inches (101.6 mm) to height of device for deeper concrete pours

Easy snap-on assembly saves time and requires no fasteners

For special applications, adaptors can be modified to accommodate deeper concrete pours

When used in conjunction with Fire Barrier Cast-In Devices, Height Adaptors are firestop tested for up to 3-hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Brands: 3M™

Fire Rating: Up to 3 hr

Product Color: Red

Product Type: Adapter

Water-tight: No

eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Diameter (Imperial): 2 in, 3 in, 4 in, 6 in

Overall Diameter (Metric): 51 mm, 76 mm, 102 mm, 152 mm

3M™ Fire Barrier Moldable Putty Pads MPP+

Details

Pliable one-part intumescent firestop material is designed for wall openings and through penetrations

Provides draft and cold smoke seal, helps reduce noise transfer

Firestop tested for through penetration and membrane applications for up to 4 hours in accordance with ASTM E 814 (UL 1479)

Excellent adhesion to a wide range of construction materials

Non-corrosive to metal, and compatible with synthetic cable jackets

Applied by hand, with no mixing or tools

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 100.0 Bags per Case, 20.0 Bags per Case

Expansion Temperature (Celsius): 177 °C

Expansion Temperature (Fahrenheit): 350 °F

Expansion Volume Volume Expansion: 3X

Fire Rating: Up to 2 hours

Dimensions and Classifications

Overall Length (Imperial): 7 in, 8 in, 9.5 in

Overall Length (Metric): 178 mm, 203 mm, 241 mm

Overall Width (Imperial): 4 in, 7 in, 9.5 in

Overall Width (Metric): 102 mm, 178 mm, 241 mm

3M™ Fire Barrier Silicone Sealant 2000+

Details

Firestop tested up to 3 hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC S115
Fire resistance tested up to 4 hours for construction joint systems in accordance with ASTM E 1966 (UL 2079)
Engineered to provide optimum adhesion to a wide variety of construction materials
Compression and extension capability of $\pm 13\%$
Offers excellent caulk rate and applied with conventional caulking equipment
Durable sealant provides excellent weatherability during construction
Formulated as a re-enterable and repairable solution

Typical properties

Brands: 3M™
Composition: Silicone
Container Size (Imperial): 4.5 Gal. (US), 20 fl oz (US)
Container Size (Metric): 17 Liter, 20 Liter, 591 ml
Fire Resistance Type: Ablative
Hardness: 40 Shore A
Maximum Service Temperature (Celsius): 150 °C
Maximum S

3M™ Fire Barrier Self-Locking Pillows

Details

Intumescent pillows are designed to expand and lock together for tight seal against flame, smoke and toxic gasses

Easy to install, remove and reconfigure to help save time and labor

Interlocking strips let installers quickly lock pillows together by hand for fast, accurate firestops

Available in multiple sizes and can be cut in the field for precise fill and compression

No wire mesh or additional support required

Firestop tested for up to 3 hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC-S115

Typical properties

Application: Commercial Construction

Brands: 3M™

Case Quantity: 24.0 Bags per Case, 20.0 Bags per Case

Fire Rating: Up to 3 hr

Product Color: Red

Product Form: Pillow

Product Type: Pillow

Smoke Seal: Yes

Water-tight: No

eClass 14 Classification Gr

Dimensions and Classifications

Minimum Concrete Thickness (Imperial): 2.5 in

Minimum Concrete Thickness (Metric): 63.5 mm

Overall Length (Imperial): 9 in

Overall Length (Metric): 229 mm

Overall Thickness (Imperial): 2 in, 3 in

Overall Width (Imperial): 5 in, 6 in

Overall Width (M

3M™ Expantrol Flexible Intumescent Strip E-FIS, Adhesive-Backed, Black, 1/16 in x 1/2 in x 50 ft, 10 Rolls/Case

3M ID 7000059391 UPC 00051115116261

Details

Fire resistance in a tape strip format, ideal for door frames and glazing
Intumescent material expands when heated to seal around objects exposed to fire
Smoke seal retards spread of toxic byproducts of combustion
Excellent flexibility for easy and cost-effective installation without special tools
Versatile and conformable – can be cut to fit irregular shapes

Typical properties

Brands: 3M™
Product Color: Black
Product Type: Intumescent Strip
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 50 ft
Overall Length (Metric): 15.24 m
Overall Thickness (Imperial): 0.0625 in
Overall Width (Imperial): 0.5 in
Overall Width (Metric): 1.27 cm

3M™ Copper Roofing Granules

3M ID B00044977

Details

3M™ Copper Roofing Granules have a layer of copper that when properly incorporated into shingles helps protect against black streaks caused by algae. Tough, dense, non-porous, weather and UV resistant, ceramic-coated rock. Available in a variety of colors. Available in Size 11 grade. Sold in 1.1 ton bags, bulk truck or railcar. 3M™ Copper Roofing Granules are manufactured in the USA with globally sourced materials.

Typical properties

Brands: 3M™

Bulk Density (Imperial): 93 lb/ft³ - 99 lb/ft³ Packed (3M TM058)

Color Durability: Has been proven by long-term field performance and accelerated weathering tests

Deoiled Color: Shipments will be +/- 1.0 unit to standard for L*a*b* (3M TM00)

3M™ Nomad™ Heavy Traffic Entrance Matting 8150

3M ID B00013664

Details

- Matting for use indoors, outdoors, or in recessed wells of high traffic areas
- Excellent dirt removal and hiding properties
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Easy to clean: shake or wash off with a hose
- Open web construction removes, traps and hides dirt
- Flexible coils brush shoe soles
- Cushioned vinyl backing protects floors in inside areas
- Backed mat can be used for indoor applications and protects floor surfaces
- Provide resistance to grease and oil

Typical properties

Recommended Industry: Automotive, Electronics, Food & Beverage, General Industrial, General commerce, Metalworking, Military & Government, Military Maintenance, Military Maintenance, Repair & Operation (MRO), Repair & Operation (MO), Transportation
eClas

3M™ Clean-Walk Framed Mat 5840

Details

Thin framed floor mat profile minimizes tripping hazard. Bottom layer of the pad firmly attaches to most smooth, clean surfaces, such as tile or sealed concrete. Sticky mat captures dirt on contact before tracking it from one area to another. It prolongs life and appearance of floors and carpet and reduces facility maintenance and clean up. Pad length is sufficient for two step contact. Multiple adhesive layers allow for easily renewed surface. Individually numbered tabs ensure that only one layer is removed at a time.

Facilities, general industrial, maintenance, military, aerospace, construction, transportation, truck, bus, commercial vehicle, manufacturing, automotive, RV, ship yards, metal working, appliance, electronics, food and beverage.

Protecting, preventing, prolonging life, controlling contamination, reducing dirt and dust, keeping clean, removing dirt.

Typical properties

Adhesive Type: Acrylic
Backing: Yes
Backing Material: Polyethylene
Factory ISO Certification: No ISO Certification information available
Industries: Appliance, Automotive, Construction, Electronics, Food and Beverage, General Industrial, MRO, Metalwor

Dimensions and Classifications

Overall Length (Imperial): 31.5 in
Overall Length (Metric): 800 mm
Overall Width (Imperial): 25.5 in
Overall Width (Metric): 648 mm

3M™ Clean-Walk Replacement Pad 5842, White, 30 in x 24 in, 60 Sheets Per Pad, 2 Pads Per Case

3M ID 7010375692 UPC 00021200557224

Details

Thin replacement floor mat profile minimizes tripping hazard. Bottom layer of the pad firmly attaches to the frame

Sticky mat captures dirt on contact before tracking it from one area to another. It prolongs life and appearance of floors and carpet and reduces facility maintenance and clean up. Pad length is sufficient for two step contact

Multiple adhesive layers allow for easily renewed surface. Individually numbered tabs ensure that only one layer is removed at a time

Facilities, general industrial, maintenance, military, aerospace, construction, transportation, truck, bus, commercial vehicle, manufacturing, automotive, RV, ship yards, metal working, appliance, electronics, food and beverage

Protecting, preventing, prolonging life, controlling contamination, reducing dirt and dust, keeping clean, removing dirt

Typical properties

Adhesive Type: Acrylic

Backing Material: Polyethylene

Brands: 3M™

Factory ISO Certification: No ISO Certification information available

Industries: Appliance, Automotive, Construction, Electronics, Food and Beverage, General Industrial, MRO, Metalwork

Dimensions and Classifications

Overall Length (Imperial): 30 in

Overall Length (Metric): 762 mm

Overall Width (Imperial): 24 in

Overall Width (Metric): 610 mm

3M™ Nomad™ Heavy Traffic Entrance Matting 8100

3M ID B00013663

Details

- High quality vinyl offering excellent crush resistance
- Durable vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Provide resistance to grease and oil
- Excellent dirt removal and hiding properties
- Easy to clean: shake or wash off with a hose
- Open web construction removes, traps and hides dirt
- Flexible coils brush shoe soles
- NFSI High Traction Certification

Typical properties

eClass 14 Classification Group: 29110109

3M™ Fire Barrier Pillows

Details

Firestop tested for up to 3 hours of protection in accordance with ASTM E 814 (UL 1479)
Expands to form a hard char that tightly seals against flame spread, smoke and toxic gases
Re-enterable and re-useable for new or retrofit installations
Graphite-free composition does not conduct electricity
No wire mesh required and easy to install, inspect, remove and reuse as needed
Excellent aging properties for long-lasting durability and performance

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 24.0 Bags per Case, 6.0 Bags per Case, 20.0 Bags per Case
Fire Rating: Up to 3 hr
Product Form: Pillow
Product Type: Pillow
Smoke Seal: Yes
Water-tight: No
eClass 14 Classification Group

Dimensions and Classifications

Overall Height (Imperial): 2 in, 3 in
Overall Height (Metric): 51 mm, 76.2 mm
Overall Length (Imperial): 9 in
Overall Length (Metric): 229 mm
Overall Width (Imperial): 4 in, 6 in
Overall Width (Metric): 102 mm, 152 mm

3M™ Fire Barrier Putty Sleeve Kits

Details

Ready-to-install kit for complete cable or blank firestop installation
Tested up to 4 hours for fire-rated through penetration systems in accordance with ASTM E814 (UL 1479)
No gasket required to ease installation process
Rolled-out lip on sleeve allows for smooth cable entry
Brackets and sleeve work in tandem to help prevent slipping during installation
Allows for both new and retrofit data and telecom cable firestop installations

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 1.0 Bags per Case
Expansion Temperature (Celsius): 204 °C
Expansion Temperature (Fahrenheit): 400 °F
Expansion Volume Volume Expansion: 3X
Fire Resistance Type: Intumescent
Maximum Servi

Dimensions and Classifications

Overall Diameter (Imperial): 1 in, 2 in, 4 in
Overall Diameter (Metric): 25 mm, 51 mm, 102 mm

3M™ Fire Block Foam, Orange, 12 fl oz, 12 Can/Case

Part Number FB-FOAM-ORANGE 3M ID 7100006734 UPC 00051115549076

Details

Tested as a Type V residential Fireblock to ASTM E 84 (modified)
Durable foam is heat-resistant (up to 240°F/115°C)
Acts as a draftstop to help reduce air infiltration
Thermal insulator foam offers an R-Value of 4-5/inch (25.4 mm) typical
Fireblock foam is ready-to-use (no mixing required)
Tack-free in approximately 5 minutes
Expands up to 200% in volume to quickly and effectively seal openings
Meets International Building Code (IBC) and International Residential Code (IRC) Fireblocking Requirements
Features minimal shrinkage and sag-resistant formulation to help ensure longevity
Excellent adhesion that bonds to concrete, brick, metals, wood, plastic and cable jacketing
Minimal shrinkage

Typical properties

Brands: 3M™
Container Size (Imperial): 12 fl oz (US)
Container Size (Metric): 354.882 ml
Product Color: Orange
Product Type: Foam
Water Activated: No
Water-tight: No
eClass 14 Classification Group: 15310200

3M™ Safety-Walk™ Wet Area Matting 3200

Details

- Z web construction makes this a great choice for heavily trafficked pool, locker and other wet areas
- Z-web design provides uniform foot support and will not flatten over time
- Open construction drains water, helping keep surfaces drier
- Enhanced slip resistance helps reduce falls
- Antimicrobial coating provides resistance to mildew, fungus, and odors in the mat
- Easy to clean: shake or wash off with a hose or power washer
- Open construction allows easy cleaning
- Antimicrobial coating for added protection
- Durable vinyl construction
- NFSI High Traction Certification

Typical properties

- Factory ISO Certification: No ISO Certification information available
- Product Color: Dark Blue
- Product Type: Wet Area Matting
- eClass 14 Classification Group: 21101415

Dimensions and Classifications

- Overall Length (Imperial): 3.281 yd, 6.562 yd
- Overall Length (Metric): 3 m, 6 m
- Overall Width (Imperial): 0.984 yd
- Overall Width (Metric): 0.9 m

3M™ Fire Barrier Duct Wrap 615-48, 1.5in x 48in x 25 ft, 1 Roll/Case

3M ID 7000133845 UPC 00051115187872

Details

1 or 2-hour fire-resistance-rated shaft enclosure for stairwell pressurization ducts and other life safety air distribution systems

Highly flexible, lightweight and thin, for ease of installation and therefore labour reduction

As a single-layer system, it provides a space-saving solution when installing in tight, cumbersome locations

Typical properties

Brands: 3M™

Fire Rating: Up to 2 hours

Product Color: Silver

Product Type: Duct Wrap

eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 25 ft

Overall Length (Metric): 7.62 m

Overall Thickness (Imperial): 1.5 in

Overall Thickness (Metric): 38.1 mm

Overall Width (Imperial): 48 in

Overall Width (Metric): 121.92 cm

3M™ Fire Barrier Duct Wrap 615-24 1.5in x 24in x 25 ft, 1 Roll/Case

3M ID 7000133844 UPC 00051115187865

Details

1 or 2-hour fire-resistance-rated shaft enclosure for stairwell pressurization ducts and other life safety air distribution systems
Highly flexible, lightweight and thin, for ease of installation and therefore labour reduction
As a single-layer system, it provides a space-saving solution when installing in tight, cumbersome locations

Typical properties

Brands: 3M™
Fire Rating: Up to 2 hours
Product Color: Silver
Product Type: Duct Wrap
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 25 ft
Overall Length (Metric): 7.62 m
Overall Thickness (Imperial): 1.5 in
Overall Thickness (Metric): 38.1 mm
Overall Width (Imperial): 24 in
Overall Width (Metric): 60.96 cm

3M™ Headlap Roofing Granules

3M ID B5005168008

Details

3M™ Headlap Roofing Granules are used in the headlap area of roofing materials

Tough, dense, non-porous, weather and UV resistant rock

Available in natural or darkened headlap colors

3M™ Headlap Roofing Granules are manufactured in the USA with globally sourced materials

Typical properties

Brands: 3M™

Bulk Density (Imperial): 93 lb/ft³ - 99 lb/ft³ Packed (3M TM058)

Color Durability: Has been proven by long-term field performance and accelerated weathering tests

Deoiled Color: Shipments will be +/- 1.0 unit to standard for L*a*b* (3M TM00

3M™ Blended Roofing Granules

Details

3M™ Blended Roofing Granules are available in a variety of beautiful colors Tough, dense, non-porous, weather and UV resistant, ceramic-coated rock Includes proprietary post-treatment and adhesion promoter coating to reduce staining, color variability and improve adhesion

Available in Size 11 grade.

Sold in 1.1 ton bags, bulk truck and railcar.

3M™ Blended Roofing Granules are manufactured in the USA with globally sourced materials

Typical properties

Brands: 3M™

Grade: 11

Product Color: Black Slate Blend, Buff Blend, Gray Blend, Gray Slate, Rustic Cedar Blend, Sienna Blend, Weathered Wood

Product Type: Blended, Classic

Quarry Source: Little Rock, AR

eClass 14 Classification Group: 22250000

3M™ Interam™ Endothermic Mat E-54A

Details

Provides protection against intense fires including hydrocarbon pool fires, jet fires and cellulosic fires

Endothermic design releases cooling chemically-bound water when exposed to heat

Versatile – rated for structural steel, electrical circuits, wall opening membranes

Flexible – easy to cut and configure for installation on complex shapes and around corners

Non-corrosive and requires no maintenance when properly installed

Typical properties

Brands: Interam™

Fire Rating: Up to 4 hours

Product Type: Mat

eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 16 ft, 20 ft

Overall Length (Metric): 4.877 m, 6.09 m

Overall Width (Imperial): 2.042 ft, 49 in

Overall Width (Metric): 1.244 m, 618.744 mm

3M™ Matting Adhesive, 3 Oz, Tube, 12/Case

3M ID 7100133178 UPC 50048011085543

Details

Urethane-based adhesive for seaming or attaching edging to vinyl or vinyl-backed matting

Typical properties

Brands: 3M™

Factory ISO Certification: No ISO Certification information available

Material: Urethane-based

Placement Area: Building Entrances, Foyers, Work Areas

Product Color: Ochre

Product Type: Adhesive Tube

Quantity: 12/Case

Recommended Industr

3M™ Mat Edging Roll

Details

For use on vinyl matting to provide an edge that tapers to the floor
Tapered vinyl strips provide continuity from the floor to the mat and make it easier for cart and other wheeled traffic
Glued onto mat using 3M™ Matting Adhesive

Typical properties

Factory ISO Certification: No ISO Certification information available
Material: Vinyl
Placement Area: Building Entrances, Foyers, Work Areas
Product Color: Black, Steel Gray
Product Type: Edging Roll
Quantity: 1/Case
Recommended Industry: Automotive

Dimensions and Classifications

Overall Length (Imperial): 39.36 ft, 75 ft, 75.44 ft
Overall Length (Metric): 12 m, 22.86 m, 23 m
Overall Width (Imperial): 0.748 in, 1 in, 1.496 in
Overall Width (Metric): 1.9 cm, 2.54 cm, 3.8 cm

3M™ Fire Barrier Ultra GS Wrap Strip, 2 in x 40 ft, 5 Rolls/Case

Part Number ULTRA GS40 3M ID 7000006380 UPC 00051115165078

Details

Graphite-based firestop is intumescent for thermal insulation (Intumescent material effectively firestops non-metallic penetrants)
Excellent flexibility for easy installation around through-penetrants
Easily rolled out, cut and shaped with common tools
Re-enterable material saves time and money after installation
Firestop tested up to 4 hours in accordance with ASTM E 814 (UL 1479)

Typical properties

Brands: 3M™
Fire Rating: Up to 4 hours
Product Color: Black
Product Type: Intumescent Strip
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 40 ft
Overall Length (Metric): 12.192 m
Overall Width (Imperial): 2 in
Overall Width (Metric): 5.08 cm

3M™ Fire Barrier Block B258, Maroon, 2.36 in x 5.12 in x 8 in, 12/Case

Part Number FB258 3M Product Number FB258 3M ID 7010305974

Details

- Pre-formed foam block maintains tight firestop seal to prevent fire, smoke and toxic gas transmission
- Fits medium to large openings in wall and floor through-penetrations
- No cure time means faster completion
- Block is paintable with primer
- Installation requires no special tools
- Can be repaired and reused as needed, saving time and labor
- Firestop tested in accordance with ASTM E 814/UL 1479
- Can be sealed with 3M™ Fire Barrier Rated Foam FIP 1-Step and other 3M™ fire barrier sealants (sold separately)

Typical properties

- Application: Commercial Construction
- Brands: 3M™
- Case Quantity: 12.0 Bags per Case
- Fire Rating: Up to 2 hours
- Industries: Appliance, Construction, General Industrial, Transportation
- Product Color: Maroon
- Product Form: Each
- Product Type: Block
- eCla

Dimensions and Classifications

- Overall Height (Imperial): 2.36 in
- Overall Height (Metric): 60 mm
- Overall Length (Imperial): 8 in
- Overall Length (Metric): 203.2 mm
- Overall Width (Imperial): 5.12 in
- Overall Width (Metric): 130 mm

3M™ Fire Barrier Plank PK39, Maroon, 39.37 in x 5.12 in x 2.36 in, 3/Case

Part Number PK39 3M Product Number PK39 3M ID 7010401344

Details

Pre-formed foam 1 meter (approximately 39 inches) foam plank block maintains tight firestop seal to prevent fire, smoke and toxic gas transmission
Fits medium to large openings in wall and floor through-penetrations
No cure time means faster completion
Block is paintable with primer
Installation requires no special tools
Can be repaired and reused as needed, saving time and labor
Firestop tested in accordance with ASTM E 814/UL 1479
Can be sealed with 3M™ Fire Barrier Rated Foam FIP 1-Step and other 3M™ fire barrier sealants (sold separately)

Typical properties

Application: Commercial Construction
Brands: 3M™
Case Quantity: 3.0 Bags per Case
Fire Rating: Up to 2 hours
Industries: Appliance, Construction, General Industrial, Transportation
Product Color: Maroon
Product Form: Each
Product Type: Packing Mate

Dimensions and Classifications

Overall Height (Imperial): 2.36 in
Overall Height (Metric): 60 mm
Overall Length (Imperial): 39.37 in
Overall Length (Metric): 1 m
Overall Width (Imperial): 5.12 in
Overall Width (Metric): 130 mm

Albion® Manual Dispenser, 1/case

Part Number FIP 1-STEP 3M Product Number DISP_GUN 3M ID 7100169332

Details

This high-thrust tool will easily dispense thick materials through a static mixing nozzle

Dual gripping plates provide no-slip reliability and long life

Typical properties

Application: Commercial Construction

Brands: Private Label

Case Quantity: 1.0 Bags per Case

Product Type: Dispenser

eClass 14 Classification Group: 15310200

3M™ Interam™ Endothermic Mat E-5A-4, 24.5 in x 20 ft, 1 Roll/Case

Part Number E-5A-4 3M Product Number E-5A-4 3M ID 7000031969

Details

Provides protection against intense fires including hydrocarbon pool fires
Endothermic design releases cooling chemical-bound water when exposed to extreme heat
Versatile – rated for structural steel, electrical circuits, wall opening membranes
Flexible – easy to cut and configure for installation on complex shapes and around corners
Non-corrosive and requires no maintenance when properly installed

Typical properties

Brands: Interam™
Fire Rating: Up to 4 hours
Product Color: Silver
Product Series: E-5A-4
Product Type: Endothermic Mat
Water-tight: No
eClass 14 Classification Group: 15310200

Dimensions and Classifications

Overall Length (Imperial): 20 ft
Overall Length (Metric): 6.1 m
Overall Width (Imperial): 24.5 in
Overall Width (Metric): 622 mm

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: tam@nt-rt.ru || сайт: <https://3m.nt-rt.ru/>