

ВТОМОБИЛЬН Е АПЧАСТИ И ОБОР ДОВАНИЕ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: tam@nt-rt.ru || сайт: <https://3m.nt-rt.ru/>



3M™ Leather and Vinyl Repair Kit, 08579, 3 per case



3M™ Scratch Removal System, 39071, 4 per case



Bondo® Scratch and Rock Chip Repair Kit Clamshell, 31590, 6 kits per case



3M™ Ultra Headlight Restoration Kit 39195, 3/Case



3M™ Headlight Lens Restoration System, 39008, 4 per case



Bondo® Bumper Repair Kit Clamshell, 31589, 6 kits per case



3M™ Headlight Restoration Kit, 39194, 4 per case



3M™ Headlight Restoration Kit, 39084, 4 per case



3M™ Replacement Ruler RR4715, PN61565



3M™ Wheel Weight Surface
Prep 2000, PN55453



Camera Bracket CB01 with
3M™ Acrylic Foam Tape 5314



3M™ Wheel Weight TN4019



3M™ Replacement Ruler
RR4023/4015, PN99431



Rain Sensor Brackets with 3M™
Die-Cuttable Tape DC2008



3M™ Wheel Weight TN4020



3M™ Wheel Weight TN6020



Rain Sensor Mirror Button
Combo Brackets with 3M™
Structural Bonding Tape



3M™ Wheel Weight TN4023



Bondo® Fiberglass Resin Repair Kit



3M™ Quick and Easy Headlight Restoration Kit, 39193, 4 per case



3M™ Universal Cutting Tool PN61479



Roof Ditch Clips with 3M™ Structural Bonding Tape




3M™ Wheel Weight TN4029



Bondo® Body Repair Kit BRKIT-2PK-ES, Ready Mix Pouches, 2 oz., 6/Case



3M™ Wheel Weight PN55428, Black, 6mm x 20mm



3M™ Mechanical Replacement Weight TN4014, 14 mm



3M™ Perfect-It™ Headlight Lens Restoration Kit (Professional Use), 02516, 1 p... case



3M™ Mechanical Replacement Weight PN99427, 7mm x 14mm



3M™ Replacement Kit PN61592, 3 blades and 1 anvil



3M™ Wheel Weight PN61403, 7mm x 15mm



3M™ Wheel Weight Foil Splicing Tape 1555U



CHMSL Mounting Bracket with 3M™ Acrylic Plus Tape



3M™ Wheel Weight Cutting Stand PN61480



3M™ Wheel Weight PN55409, 6mm x 20mm



Locator Pins with 3M™ Acrylic Foam Tapes



3M™ Windshield Repair Kit



3M™ Headlight Restoration Kit



Scotch™ Extreme Premium Vinyls



3M™ Wheel Weight PN61405, 4mm x 23mm



3M™ Replacement Ruler RR4020, PN55418



3M™ Removal Tool PN99099



Mirror Button 3289A with 3M™ Structural Bonding Tape 9214, 280/Metal Roll



3M™ Scratch & Scuff Removal Kit



3M™ Replacement Ruler RR4029, PN55404



3M™ Wheel Weight PN99473, 6mm x 29mm



3M™ Dual Cutter Bracket
PN99429




Pin 14 with 3M™ Acrylic Foam
Tape 5392



3M™ Wheel Weight TN4015



Pin 01 with 3M™ Structural
Bonding Tape



3M™ Dual Box Holder Kit
PN99428



Rain Sensor Bracket with 3M™
Structural Bonding Tape



3M™ Scratch Removal System



Bondo® Bumper Repair
Adhesive Kit



3M™ Wheel Weight Starter Kit
PN99101

3M™ Wheel Weight Starter Kit PN99101

3M Product Number PN99101 3M ID B40070541

Details

Corrosion-free product enables maintenance of expensive wheels and enhances overall vehicle appearance

Elimination of clip-on weights improves wheel appearance by hiding wheel weights

Industry-proven 3M™ Attachment Tape technology ensures dependable attachment

Precision cut-to-length weights improve wheel balance and vehicle ride quality

Tire balance is retained with correctly located and attached weights

Flexible product design enables one or two sizes to fit all wheel diameters

Typical properties

eClass 14 Classification Group: 44100492

Bondo® Bumper Repair Adhesive Kit

3M ID B40069635

Details

Durable yet flexible for automotive plastic panel repair
2-part epoxy adhesive dispenses evenly from syringe container with no premixing required
Very versatile – makes permanent repairs as an adhesive or filler
Creates fully sandable and paintable surface
Kit contains plastic spreader and reinforced mesh for fast, easy repairs

Typical properties

Brands: Bondo®
eClass 14 Classification Group: 15130103

3M™ Scratch Removal System

3M ID B40069625

Details

Auto scratch remover system takes out light paint scratches and scuffs
System uses a 3-step repair approach
Kit sands, compounds and polishes the repair area
Easy-to-use kit comes with all of the special supplies needed
Kit restores flawless appearance of car, truck or van

Typical properties

eClass 14 Classification Group: 15130103

Rain Sensor Bracket with 3M™ Structural Bonding Tape

3M ID B40069698

Details

Brackets are supplied pre-taped and are ready to use to help improve process efficiency
Applied as a pressure sensitive tape and then heat cured to ensure a secure bond
Tape and hardware system can help to reduce scrap, in-plant labor and inventory costs
Compatible with manual and automated manufacturing processes or available autoclave processes
Pressure sensitive adhesive feature ensures immediate fixturing of components upon application to glass
Tape color changes from black to matte gray after curing

Typical properties

Application: Bonding
Permanence: Permanent
Product Usage: Brackets

3M™ Dual Box Holder Kit PN99428

3M Product Number PN99428 3M ID B40070569

Details

Genuine 3M accessory for use with the 3M™ Wheel Weight System
Converts the 3M™ Cutting Stand (sold separately) to hold two boxes of 3M™
Wheel Weights
Combines easily with the 3M™ Dual Cutter Bracket to attach two 3M™ Universal
Cutting Tools

Typical properties

eClass 14 Classification Group: 44100492

Pin 01 with 3M™ Structural Bonding Tape

3M Product Number PIN01 3M ID B40069703

Details

3M™ Structural Bonding Tape forms an exceptional bond with glass which can help minimize consumer related warranty issues

Mounting pins are applied at the glass manufacturer and heat cured, often through the autoclave process

Helps improve process efficiency by supplying pre-taped components ready for application to the windshield

Pressure sensitive adhesive feature ensures fixturing of components immediately upon application to glass

Provides manufacturing flexibility for manual and automated processes with the availability of multiple packaging options

Self-contained tape and hardware system can help to reduce scrap, in-plant labor and inventory costs

3M™ Wheel Weight TN4015

3M Product Number TN4015E 3M ID B40070537

Details

3M™ Wheel Weight material can be cut to size for customized lengths and weights

One product replaces dozens of clip-on weights to simplify inventory needs

Allows for automation of tire balancing in the OEM or Tier assembly plant

Uses industry-proven 3M Automotive Attachment Tape technology for dependable attachment

Proven application and product technology in production at multiple OEMs and tier balancers

Reduces potential for corrosion and staining of wheels to help keep wheels looking better longer

Lead-free composite material is more environmentally friendly

Typical properties

eClass 14 Classification Group: 44100492

Pin 14 with 3M™ Acrylic Foam Tape 5392

3M Product Number PIN 14 3M ID B40069706

Details

Unique foam core provides stress relaxation under high application loads, while maintaining tight bond-line aesthetics under normal conditions
Bonds to a variety of automotive substrates
Provides high final adhesion and peel strength
Temporarily fixtures windshields in position during the windshield installation process

3M™ Dual Cutter Bracket PN99429

3M Product Number PN99429 3M ID B40070560

Details

Genuine 3M accessory for use with the 3M™ Wheel Weight System
Converts the 3M™ Cutting Stand (sold separately) to hold two 3M™ Universal
Cutting Tools
Combines easily with the 3M™ Dual Box Holder and 3M™ Cutting Stand

Typical properties

eClass 14 Classification Group: 44100492

3M™ Wheel Weight PN99473, 6mm x 29mm

3M Product Number PN99473 3M ID B40070543

Details

Material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly than lead weights

One product replaces dozens of clip-on weights to simplify inventory needs

Corrosion-free product enables maintenance of expensive wheels and enhances overall vehicle appearance

Elimination of clip-on weights improves wheel appearance by hiding wheel weights

Uses industry-proven 3M™ Attachment Tape technology for dependable attachment

Precision cut-to-length weights improve wheel balance and vehicle ride quality

Typical properties

eClass 14 Classification Group: 44100492

3M™ Replacement Ruler RR4029, PN55404

3M Product Number RR4029 3M ID B40070556

Details

Genuine 3M replacement part for 3M™ Wheel Weight System
Used with the 3M™ Universal Cutting Tool to accurately cut 3M™ Wheel Weights to the desired weight
Used for measuring 3M™ Wheel Weights PN99473
Easy to read scale determines exact weight for precise wheel balancing
Interchangeable rulers measure in both gram and ounce increments
Rulers are easily interchanged for measuring specific 3M wheel weight profiles
Easy to use ruler measures weight for proper balancing

Typical properties

eClass 14 Classification Group: 44100492

3M™ Scratch & Scuff Removal Kit

3M ID B40069626

Details

Restores shine and gloss to lightly scratched and scuffed painted areas of your vehicle

Features 3M abrasives and application pads

Fast and easy – no tools required

Saves money on expensive body work

Safe for use on any standard vehicle clear coat

Typical properties

eClass 14 Classification Group: 15130103

Mirror Button 3289A with 3M™ Structural Bonding Tape 9214, 280/Metal Roll

3M ID 7010383914 UPC 50076308890013

Details

Mirror mounts are supplied pre-taped, applied, and heat cured at the Tier to help improve process efficiency

Compatible with manual and automated manufacturing processes or available autoclave processes

Applied as a pressure sensitive adhesive and then heat cured to ensure a secure bond to glass

Tape forms an exceptional bond with glass which can help minimize consumer related warranty issues

Tape and hardware system can help to reduce scrap, in-plant labor and inventory costs

Tape color changes from black to matte gray after curing

Typical properties

Adhesive Type: Semi-structural

Application: Bonding

Brands: 3M™

Cure Type: Heat Cured

Factory ISO Certification: No ISO Certification information available

Product Type: Mirror Button

Product Usage: Mirror Buttons, Sensor Brackets

Tape Color (Final

3M™ Removal Tool PN99099

3M Product Number PN99099 3M ID B40070565

Details

Gently removes previously taped-on wheel weights from automotive rims with minimal damage to rim

Plastic material helps avoid scratching while removing weights

Bright red color helps technicians easily find the tool at a job site

Overall length 11 inches

Typical properties

eClass 14 Classification Group: 44100492

3M™ Replacement Ruler RR4020, PN55418

3M Product Number RR4020 3M ID B40070559

Details

Genuine 3M replacement part for 3M™ Wheel Weight System
Used with the 3M™ Universal Cutting Tool to accurately cut 3M™ Wheel Weights to the desired weight
Used for measuring 3M™ Wheel Weights PN55409
Easy to read scale determines exact weight for precise wheel balancing
Interchangeable rulers measure in both gram and ounce increments
Rulers are easily interchanged for measuring specific 3M wheel weight profiles
Easy to use ruler measures weights for proper balancing
Tire balance is retained with correctly located and attached weights
Reduces potential for corrosion and staining of wheels to help keep wheels looking better, longer

Typical properties

eClass 14 Classification Group: 44100492

3M™ Wheel Weight PN61405, 4mm x 23mm

3M Product Number PN61405 3M ID B40070544

Details

Material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly than lead weights

One product replaces dozens of clip-on weights to simplify inventory needs

Corrosion-free product enables maintenance of expensive wheels and enhances overall vehicle appearance

Elimination of clip-on weights improves wheel appearance by hiding wheel weights

Uses industry-proven 3M™ Attachment Tape technology for dependable attachment

Precision cut-to-length weights improve wheel balance and vehicle ride quality

Typical properties

eClass 14 Classification Group: 44100492

Scotch™ Extreme Premium Vinyls

3M ID CBGBJRUS3048 UPC 00638060856581

Details

PERFECT VINYL FOR OUTDOOR CRAFTS & CAR DECALS: For window graphics or car stickers, trust Scotch to stand up to the elements and are fade-tested to ensure colors stay bright, even outside

PREMIUM ADHESION & DURABILITY: Arts & crafts for adults require the best craft supplies to make sure your projects last. This 3M technology has withstood the test of time so you can be a DIY pro

PRESSURE-ACTIVATED TECHNOLOGY MEANS IT WON'T STICK UNTIL YOU'RE READY: The magic of 3M Controltac™ Technology allows you to float your vinyl decal over your surface until it is placed perfectly

NO MORE AIR BUBBLES: Features 3M Comply™ Adhesive with air release channels, so you can easily remove trapped air for a clean, professional finish every time

CONFORMS TO FLAT AND CURVED SURFACES: From personalizing your mailbox to DIYing bike decals, project possibilities are endless with slight stretch offering premium conformability

HOLDS SECURELY UNDER THE TOUGHEST CONDITIONS: Confidently decorate mugs, cups, car exteriors and windows knowing your vinyl will stand up to temperatures ranging from -40°F to 200°F

WASHABLE & WATER-RESISTANT: Never worry about keeping your personalized mugs, glasses and water bottles clean, or rain/snow on your outdoor banners

REMOVES CLEANLY & EASILY: Permanent? Yes. Removable? Also yes! You can trust Scotch™ to never damage a surface or leave residue behind when you're ready for a new look

WORKS WITH LEADING MACHINES: For Cricut, Silhouette Cameo & Brother ScanNCut, set material to vinyl/premium vinyl, cut with a premium/fine point blade at medium/shallow depth & medium speed/pressure

Typical properties

Brands: Scotch®

Factory ISO Certification: No ISO Certification information available

Product Color: Black, Gold, Green, Metallic, Red, Transparent, White, Yellow

eClass 14 Classification Group: 24281500

Dimensions and Classifications

Overall Length (Imperial): 24 in

Overall Length (Metric): 60.96 cm

Overall Width (Imperial): 12 in

Overall Width (Metric): 30.48 cm

3M™ Headlight Restoration Kit

3M ID B40069623

Details

Kits contain masking tape, light sanding discs, wax protectant and more
For use on plastic lenses – headlights, taillights, fog lights, directional lights and more
3M abrasive technology removes yellowing and buildup without damaging plastic lens surface
Easy to use – choose a kit with no tools required, or for use with a common household drill
Save hundreds vs. replacing headlight lenses

Typical properties

eClass 14 Classification Group: 15130103

3M™ Windshield Repair Kit

3M ID B40069636

Details

Glass resin fills small bull's eyes and chips to prevent spreading
Preventative damage control can stop more extensive damage from spreading
Repair kit minimizes appearance of glass chip to make windshield look like new
Easy-to-use glass repair formula requires no special tools, mixing or heat
Step-by-step directions guide project from start to finish

Typical properties

Brands: 3M™
eClass 14 Classification Group: 15130103

Locator Pins with 3M™ Acrylic Foam Tapes

3M ID B40069696

Details

Applied at the glass tier to temporarily hold the windshield while the permanent seal is curing

Ready-to-use, pre-taped components help improve process efficiency during application

Pressure sensitive adhesive feature ensures fixturing of components immediately upon application to glass

Acrylic core strength of tape reduces windshield creep while urethane is curing

Meets tight placement tolerance requirements

Provides manufacturing flexibility for manual and automated processes

3M™ Wheel Weight PN55409, 6mm x 20mm

3M Product Number PN55409 3M ID B40070545

Details

Material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly than lead weights

One product replaces dozens of clip-on weights to simplify inventory needs

Corrosion-free product enables maintenance of expensive wheels and enhances overall vehicle appearance

Elimination of clip-on weights improves wheel appearance by hiding wheel weights

Uses industry-proven 3M™ Attachment Tape technology for dependable attachment

Precision cut-to-length weights improve wheel balance and vehicle ride quality

Typical properties

eClass 14 Classification Group: 44100492

3M™ Wheel Weight Cutting Stand PN61480

3M Product Number PN61480 3M ID B40070566

Details

- Provides the proper support and secure mounting for the 3M™ Wheel Weight System
- Easy attachment of 3M™ Universal Cutting Tool PN61479
- Enables stable positioning of the cutting tool for accurate product cutting
- Adjusts in height and positioning for easy placement in work area
- Holding tray rotates 180 degrees to accommodate space and positioning of the stand
- Securely mounts to shop work area floors and adjusts in height for convenient placement

Typical properties

eClass 14 Classification Group: 44100492

CHMSL Mounting Bracket with 3M™ Acrylic Plus Tape

3M Product Number CHMSL 3M ID B40069701

Details

CHMSL mounting brackets are pre-taped and ready to use to help improve process efficiency

Tape and hardware in one unit can help reduce scrap, in-plant labor and inventory costs

Tape adhesive delivers excellent adhesion to traditional, LSE and mar-resistant automotive paint systems

Pressure sensitive adhesive ensures immediate fixturing of bracket

Conformable closed cell 1.52 mm acrylic foam core delivers excellent stress relaxation under load

Dark gray color provides good bond-line appearance

3M™ Wheel Weight Foil Splicing Tape 1555U

3M Product Number 1555U 3M ID B40070568

Details

Low tensile strength and high tear resistance are two of the major benefits of foil tape
Polyethylene film has good moisture resistance and durability

Typical properties

eClass 14 Classification Group: 44100492

3M™ Wheel Weight PN61403, 7mm x 15mm

3M Product Number PN61403 3M ID B40070538

Details

Material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly than lead weights

One product replaces dozens of clip-on weights to simplify inventory needs

Corrosion-free product enables maintenance of expensive wheels and enhances overall vehicle appearance

Elimination of clip-on weights improves wheel appearance by hiding wheel weights

Uses industry-proven 3M™ Attachment Tape technology for dependable attachment

Precision cut-to-length weights improve wheel balance and vehicle ride quality

Typical properties

eClass 14 Classification Group: 44100492

3M™ Replacement Kit PN61592, 3 blades and 1 anvil

3M Product Number PN61592 3M ID B40070561

Details

Replacement kit contains three blades and an anvil for the 3M™ Universal Cutting Tool PN 61479

Genuine 3M replacement parts offer optimal cutting performance

Accurately cuts 3M™ Wheel Weights to the desired length and weight

Part of the 3M™ Wheel Weight System that is designed to enable precise wheel balancing

Typical properties

eClass 14 Classification Group: 44100492

3M™ Mechanical Replacement Weight PN99427, 7mm x 14mm

3M Product Number PN99427 3M ID B40070557

Details

- One product replaces dozens of clip-on weights to simplify inventory needs
- Replaces clip-on/bang-on mechanical weights
- Corrosion-free product enables maintenance of expensive wheels and enhances overall vehicle appearance
- Elimination of clip-on weights improves wheel appearance by hiding wheel weights
- Uses industry-proven 3M™ Attachment Tape technology ensuring dependable attachment
- Can be cut to size for customized lengths and weights
- Precision cut-to-length weights improve wheel balance and vehicle ride quality

Typical properties

eClass 14 Classification Group: 44100492

3M™ Perfect-It™ Headlight Lens Restoration Kit (Professional Use), 02516, 1 per case

3M ID 7100123189 UPC 00051131025165

Details

A complete system for quickly removing surface defects and yellowing from plastic lenses

Restore headlight clarity in 10 - 15 minutes

Kit contains 3M's premium Trizact™ and Perfect-It™ products

Includes sanding and polishing tools, 3" abrasive discs, rubbing compound and polish

Discs feature Hookit™ attachment for fast, easy change-outs

For use on plastic lenses – headlights, taillights, fog lights, directional lights and more

An excellent alternative to lens replacement

Typical properties

Application: Paint Finishing & Detailing

Brands: Perfect-it™

Case Quantity: 1.0 per Case

Product Category: Plastic Repair

Product Type: Headlight Restoration Kit

Sub Applications: Headlight Lens Restoration

eClass 14 Classification Group: 15130103

3M™ Mechanical Replacement Weight TN4014, 14 mm

3M Product Number TN4014 3M ID B40070558

Details

3M™ Mechanical Replacement Weight TN4014 can be cut to size for customized lengths and weights

Designed to replace environmentally harmful lead wheel weights One product replaces dozens of clip-on weights to simplify inventory needs

Allows for automation of tire balancing in the OEM or Tier assembly plant

Uses industry-proven 3M Automotive Attachment Tape technology for dependable attachment

Proven application and product technology in production at multiple OEMs and tier balancers

Reduces potential for corrosion and staining of wheels to help keep wheels looking better longer

Typical properties

eClass 14 Classification Group: 44100492

3M™ Wheel Weight PN55428, Black, 6mm x 20mm

3M Product Number PN55428 3M ID B40070547

Details

Material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly than lead weights

One product replaces dozens of clip-on weights to simplify inventory needs

Corrosion-free product enables maintenance of expensive wheels and enhances overall vehicle appearance

Elimination of clip-on weights improves wheel appearance by hiding wheel weights

Uses industry-proven 3M™ Attachment Tape technology for dependable attachment

Precision cut-to-length weights improve wheel balance and vehicle ride quality

Typical properties

eClass 14 Classification Group: 44100492

Bondo® Body Repair Kit Ready Mix Pouches, BRKIT-2PK-ES

3M ID 70009159446 UPC 00076308426446

Details

EVERYTHING YOU NEED to fill holes and rust-outs on your vehicle or boat
READY MIX POUCHES include the original 2-part formula of filler and hardener
SAVE TIME with guess-free, ready-mix pouches that eliminate the need to measure filler and hardener
DIY BODY REPAIR KIT fixes automotive rust out and holes up to 3" wide
TWO-PART TECHNOLOGY chemically bonds to the surface for permanent repair
KIT CONTENTS INCLUDE Bondo Original Filler and Hardener Pouch, Fiberglass Filler and Hardener Pouch, self-adhesive body patch, and spreader
NON-SHRINKING FORMULA is permanently durable
PAINTABLE FORMULA is compatible with most paints
WORKABLE for 3-4 minutes once filler and hardener are mixed together
SANDABLE IN 20 MINUTES for same-day repairs
TOP COAT of Bondo® Glazing and Spot Putty is recommended to fill pin holes and small imperfections for a smooth finish
WATER RESISTANT when painted or sealed
FIBERGLASS FILLER MIXES DARK GREEN when filler and hardener are mixed together
ORIGINAL FILLER MIXES LIGHT BLUE when filler and hardener are mixed together
FILL STAGE of 3M™ Body Repair System

Typical properties

Brands: Bondo®
eClass 14 Classification Group: 15130103

3M™ Wheel Weight TN4029

3M Product Number TN4029E 3M ID B40070540

Details

3M™ Wheel Weight material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly

One product replaces dozens of clip-on weights to simplify inventory needs

Allows for automation of tire balancing in the OEM or Tier assembly plant

Uses industry-proven 3M Automotive Attachment Tape technology for dependable attachment

Proven application and product technology in production at multiple OEMs and tier balancers

Reduces potential for corrosion and staining of wheels to help keep wheels looking better longer

Typical properties

eClass 14 Classification Group: 44100492

Roof Ditch Clips with 3M™ Structural Bonding Tape

3M ID B40069699

Details

Roof ditch clips are pre-taped and ready to use to help improve process efficiency

Tape and hardware in one unit can help reduce in-plant labor, scrap and inventory costs

Eliminates the need to stamp holes or form upturned flanges in sheet metal

Pressure sensitive adhesive ensures immediate clip fixturing

Foam tape and adhesive are made from epoxy-modified acrylic material for durability

Tape is heat cured to ensure a secure bond

3M™ Universal Cutting Tool PN61479

3M Product Number PN61479 3M ID B40070564

Details

Accurately cuts 3M™ Wheel Weights to the desired length and weight
Easy to read scale determines exact weight for precise wheel balancing
Interchangeable rulers measure in both gram and ounce increments
Easily attaches to the 3M Cutting Stand PN61480 (sold separately)

Typical properties

eClass 14 Classification Group: 44100492

3M™ Quick and Easy Headlight Restoration Kit, 39193, 4 per case

Part Number 39193 3M ID 60455109581 UPC 00051131391932

Details

KIT INCLUDES: 3M Trizact Refining Disc 3000 grit (2) 3M Quick Headlight Clear Coat Wipes

For use on plastic lenses – headlights, taillights, fog lights, directional lights and more

3M abrasive technology removes yellowing and buildup without damaging plastic lens surface

Easy to use – choose a kit with no tools required, or for use with a common household drill

Save hundreds vs. replacing headlight lenses

Typical properties

Brands: 3M™

Factory ISO Certification: No ISO Certification information available

eClass 14 Classification Group: 15130103

Bondo® Fiberglass Resin Repair Kit

3M ID B40068243 UPC 00076308004224

Details

Non-shrinking polyester resin bonds to metals
Kit includes all materials for easy application
Hardens quickly for fast repairs
Includes directions for easy, trouble-free use
Do-it-yourself auto body repair at a fraction of the time and cost

Typical properties

Application: Rust Repair
Brands: Bondo®
Case Quantity: 6.0 Kits per Case, 6.0 Cans per Case
Factory ISO Certification: No ISO Certification information available
Material: Polyester Resin
Maximum Operating Temperature (Celsius): 82.2 °C
Maximum Operat

3M™ Wheel Weight TN4023

3M Product Number TN4023E 3M ID B40070546

Details

3M™ Wheel Weight material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly

One product replaces dozens of clip-on weights to simplify inventory needs

Allows for automation of tire balancing in the OEM or Tier assembly plant

Uses industry-proven 3M Automotive Attachment Tape technology for dependable attachment

Proven application and product technology in production at multiple OEMs and tier balancers

Reduces potential for corrosion and staining of wheels to help keep wheels looking better longer

Typical properties

eClass 14 Classification Group: 44100492

Rain Sensor Mirror Button Combo Brackets with 3M™ Structural Bonding Tape

3M ID B40069700

Details

Brackets are supplied pre-taped and ready to use to help improve process efficiency

Applied as a pressure sensitive tape and then heat cured to ensure a secure bond

Tape and hardware system can help to reduce scrap, in-plant labor and inventory costs

Compatible with manual and automated manufacturing processes or available autoclave processes

Pressure sensitive adhesive feature ensures immediate fixturing of components upon application to glass

Tape color changes from black to matte gray after curing

3M™ Wheel Weight TN6020

3M Product Number TN6020E 3M ID B40070548

Details

3M™ Wheel Weight material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly

One product replaces dozens of clip-on weights to simplify inventory needs

Allows for automation of tire balancing in the OEM or Tier assembly plant

Uses industry-proven 3M™ Automotive Attachment Tape technology for dependable attachment

Proven application and product technology in production at multiple OEMs and tier balancers

Reduces potential for corrosion and staining of wheels to help keep wheels looking better longer

Typical properties

eClass 14 Classification Group: 44100492

3M™ Wheel Weight TN4020

3M Product Number TN4020E 3M ID B40070550

Details

3M™ Wheel Weight material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly

One product replaces dozens of clip-on weights to simplify inventory needs

Allows for automation of tire balancing in the OEM or Tier assembly plant

Uses industry-proven 3M Automotive Attachment Tape technology for dependable attachment

Proven application and product technology in production at multiple OEMs and tier balancers

Reduces potential for corrosion and staining of wheels to help keep wheels looking better longer

Typical properties

eClass 14 Classification Group: 44100492

Rain Sensor Brackets with 3M™ Die-Cuttable Tape DC2008

3M Product Number RSB 3M ID B40069695

Details

- Help improve process efficiency with pre-taped brackets that are ready to use
- High initial adhesion ensures reliable application of brackets to glass
- Unique handling properties enable minimal edge-welding, which improves the die-cutting process
- Ability to die-cut into complex shapes
- Black color of tape is inconspicuous after installation
- Compatible with manual and automated manufacturing processes
- Pressure sensitive adhesive feature ensures fixturing of components immediately upon application to glass

3M™ Replacement Ruler RR4023/4015, PN99431

3M Product Number RR4023/4015 3M ID B40070562

Details

Genuine 3M replacement part for 3M™ Wheel Weight System
Used with the 3M™ Universal Cutting Tool to accurately cut 3M™ Wheel Weights to the desired weight
Used for measuring 3M™ Wheel Weights PN61405 and PN99427
Easy to read scale determines exact weight for precise wheel balancing
Interchangeable rulers measure in both gram and ounce increments
Rulers are easily interchanged for measuring specific 3M wheel weight profiles
Easy to use ruler measures weights for proper balancing

Typical properties

eClass 14 Classification Group: 44100492

3M™ Wheel Weight TN4019

3M Product Number TN4019E 3M ID B40070542

Details

3M™ Wheel Weight material can be cut to size for customized lengths and weights

Lead-free composite material is more environmentally friendly

One product replaces dozens of clip-on weights to simplify inventory needs

Allows for automation of tire balancing in the OEM or Tier assembly plant

Uses industry-proven 3M Automotive Attachment Tape technology for dependable attachment

Proven application and product technology in production at multiple OEMs and tier balancers

Reduces potential for corrosion and staining of wheels to help keep wheels looking better longer

Typical properties

eClass 14 Classification Group: 44100492

Camera Bracket CB01 with 3M™ Acrylic Foam Tape 5314

3M Product Number 5314 3M ID B40069705

Details

Tape temporarily fixtures brackets to glass

Maintains uniform gap between bracket and glass during cure time

3M™ Acrylic Foam Tape 5314 offers very high initial adhesion to glass

Viscoelastic foam core conforms well even to complex geometries

Engineered for stress relaxation when exposed to high stress loads

Brackets are supplied pre-taped and are ready to use to help improve process efficiency

Tape and hardware system can help to reduce scrap, in-plant labor and inventory costs

Pressure sensitive adhesive feature ensures immediate fixturing of components upon application to glass

3M™ Wheel Weight Surface Prep 2000, PN55453

3M ID B40070563

Details

- Removes grease, oil, dirt, brake dust and tape residue from wheels
- Cleans without leaving residue and prepares the wheel surface for taped wheel weight application
- Comes in an easy to use spray bottle for convenient application
- Supplied with a Scotch-Brite™ Scrubbing Pad for difficult to remove dirt
- Increases productivity and reduces the amount of cleaning solution required
- Provides improved wheel weight adhesion performance
- Designed to replace brake cleaners and other solvents typically used for wheel cleaning
- Tire balance is achieved with correctly located and attached weights
- Proven application and product technology in production at multiple OEMs and tire balancers

Typical properties

eClass 14 Classification Group: 44100492

3M™ Replacement Ruler RR4715, PN61565

3M Product Number RR4715 3M ID B40070554

Details

Genuine 3M replacement part for 3M™ Wheel Weight System
Used with the 3M™ Universal Cutting Tool to accurately cut 3M™ Wheel Weights to the desired weight
Used for measuring 3M™ Wheel Weights PN61403
Easy to read scale determines exact weight for precise wheel balancing
Interchangeable rulers measure in both gram and ounce increments
Rulers are easily interchanged for measuring specific 3M wheel weight profiles
Easy to use ruler measures weights for proper balancing

Typical properties

eClass 14 Classification Group: 44100492

3M™ Headlight Restoration Kit, 39084, 4 per case

Part Number 39084 3M ID 60455058044 UPC 00051131390843

Details

Kits contain masking tape, light sanding discs, wax protectant and more

For use on plastic lenses – headlights, taillights, fog lights, directional lights and more

3M abrasive technology removes yellowing and buildup without damaging plastic lens surface

Save hundreds vs. replacing headlight lenses

Complete system of light abrasives, polishes and protectants removes scratches, dirt and oxidization that can appear on your headlight lenses

Dim headlight bulbs and hazy plastic headlight lenses or surfaces may lead to reduced visibility

User supplies a standard household drill (1200-1600 rpm)

Typical properties

Brands: 3M™

Case Quantity: 4.0 Kits per Case

Factory ISO Certification: No ISO Certification information available

Product Category: Plastic Repair

Product Type: Headlight Restoration Kit

Severity: Medium

eClass 14 Classification Group: 15130103

3M™ Headlight Restoration Kit, 39194, 4 per case

Part Number 39194 3M ID 60455109599 UPC 00051131391949

Details

KIT INCLUDES: 1 - 3M™ Trizact™ Refining Disc 1000 grit, 3 in/7.6 cm 1 - 3M™ Trizact™ Refining Disc 3000 grit, 3 in/7.6 cm 2 - 3M™ Quick Headlight Clear Coat Wipes 1 - Foam Pad with 3M™ Hookit™ Attachment, 3 in/7.6 cm 1- Disposable Glove

FOR USE ON plastic lenses – headlights, taillights, fog lights, directional lights and more

3M abrasive technology removes yellowing and buildup without damaging plastic lens surface

Easy to use – choose a kit with no tools required, or for use with a common household drill

Save hundreds vs. replacing headlight lenses

Typical properties

Brands: 3M™

Factory ISO Certification: No ISO Certification information available

Product Type: Headlight Restoration Kit

eClass 14 Classification Group: 15130103

Bondo® Bumper Repair Kit Clamshell, 31589, 6 kits per case

3M ID 60455103386 UPC 00051131315891

Details

Complete solution to quickly and easily repair flexible bumpers
Create durable, permanent repairs ready for painting
Pre-measured Bondo® epoxy works as an adhesive or a filler and dispenses without mixing
Sandable in 30 minutes
Kit also includes 3M™ Sandpaper (80, 180 and 320 grit)
Featuring Bondo®, used by professionals for over 60 years
Use during the Fill stage of the 3M™ Body Repair System

Typical properties

Brands: Bondo®
Factory ISO Certification: No ISO Certification information available
Product Type: Repair Kit
eClass 14 Classification Group: 15130103

3M™ Headlight Lens Restoration System, 39008, 4 per case

Part Number 39008 3M ID 60455055545 UPC 00051131390089

Details

KIT INCLUDES: 1 - Disc Pad Holder, 3.25 in (8,2 cm) 6 - 3M™ Gold Sanding Discs 500 Grit, 3 in (7,6 cm) each 4 - 3M™ White Finishing Discs 800 Grit, 3 in (7,6 cm) each 1 - 3M™ Trizact™ Refining Disc, 3 in (7,6 cm) 1 - 3M™ Rubbing Compound, 1 US fl oz (29 m

LIKE NEW HEADLIGHTS: Easy heavy duty kit solution help your headlights look like new

REMOVE HARSHTEST YELLOWING: Kit is powered by drill-activated sanding to provide maximum clarity

RESTORE CLEARNESS: Improve the appearance of your vehicle

SEE BETTER AT NIGHT: Enhances visibility and safety for night driving

SAVE MONEY: Save hundreds vs. replacing headlight lenses

COMPLETE RESTORATION KIT: Kits contain masking tape, light sanding discs, wax protectant and more

Easy, 3-step process requires as little as an hour to remove scratches and restore cloudy, dull lenses

For use on plastic lenses headlights, taillights, fog lights, directional lights and more

3M abrasive technology removes yellowing and buildup without damaging plastic lens surface

Each kit includes materials to restore two headlight lenses

Typical properties

Brands: 3M™

Case Quantity: 4.0 Kits per Case

Factory ISO Certification: No ISO Certification information available

Product Type: Headlight Restoration Kit

Severity: Heavy

eClass 14 Classification Group: 15130103

3M™ Ultra Headlight Restoration Kit 39195, 3/Case

Part Number 39195 3M ID 60455109607 UPC 00051131391956

Details

KIT INCLUDES: 1 - Disc Pad Holder, 3.25 in (8,2 cm) 6 - 3M™ Gold Sanding Discs 500 Grit, 3 in (7,6 cm) each 4 - 3M™ White Finishing Discs 800 Grit, 3 in (7,6 cm) each 1 - 3M™ Trizact™ Refining Disc 3000 Grit, 3 in (7,6 cm) 2 - 3M™ Quick Headlight Clear Co

KITS CONTAIN masking tape, light sanding discs, wax protectant and more
FOR USE ON plastic lenses – headlights, taillights, fog lights, directional lights and more

3M abrasive technology removes yellowing and buildup without damaging plastic lens surface

Easy to use – choose a kit with no tools required, or for use with a common household drill

Save hundreds vs. replacing headlight lenses

Typical properties

Brands: 3M™

Factory ISO Certification: No ISO Certification information available

eClass 14 Classification Group: 15130103

Bondo® Scratch and Rock Chip Repair Kit Clamshell, 31590, 6 kits per case

3M ID 60455103394 UPC 00051131315907

Details

Complete solution to quickly and easily repair deep scratches and rock chips

Kit includes Bondo® Glazing and Spot Putty, Bondo® Spreader and 3M™ Sandpaper (180 and 320 grit)

Material features easy 1-part nitrocellulose formula that requires no mixing and helps keep repairs simple

Provides a 3-minute work time and is sandable in 30 minutes

Kit contains enough product to repair multiple scratches and rock chips

Use during the Fill stage of the 3M™ Body Repair System

Typical properties

Brands: Bondo®

Factory ISO Certification: No ISO Certification information available

Product Type: Repair Kit

eClass 14 Classification Group: 15130103

3M™ Scratch Removal System, 39071, 4 per case

Part Number 39071 3M ID 60455055792 UPC 00051131390713

Details

Auto scratch remover system takes out light paint scratches and scuffs
System uses a 3-step repair approach
Kit sands, compounds and polishes the repair area
Easy-to-use kit comes with all of the special supplies needed
Kit restores flawless appearance of car, truck or van
Designed to remove defects to the thin outer coat of your car's finish
The kit removes small imperfections caused by keys, fingernails, shrub or tree branches, clothing, wash rags and car wash brushes
Use on high-contact areas such as around door handles, door panels and trunks
If a scratch is deeper than clear coat, it may require a more extensive repair such as repainting a portion of the vehicle
User supplies a standard household drill (1200-1600 rpm)

Typical properties

Brands: 3M™
Case Quantity: 4.0 Kits per Case
Consistency: Liquid
Factory ISO Certification: No ISO Certification information available
Performance Level: Better
Product Category: Plastic Repair
Product Color: White
Product Type: Scratch Removal Kit

3M™ Leather and Vinyl Repair Kit, 08579, 3 per case

Part Number 08579 3M ID 60455057954 UPC 00051135085790

Details

KIT REPAIRS cuts, tears and burns in automotive leather and vinyl
COLOR MATCHING GUIDE helps customize the color
TEXTURED GRAIN PAPERS help match coarse to smooth pattern
INEXPENSIVE OPTION for repairing minor damage
COMPLETE KIT INCLUDES supplies, tools and directions
REPAIR on a variety of surfaces including car seats, dashboards, motorcycle seats, center consoles, vinyl tops, marine & RV upholstery, furniture
INCLUDES 7 color mixable repair compounds, textured grain papers, mixing cups, vinyl adhesive, applicator tool, and heat transfer tool
COMPLETE INSTRUCTIONS INCLUDED
Patching holes in leather and vinyl immediately improves the appearance of a car's interior and helps maintain the vehicle's value
3 Kits/Case

Typical properties

Brands: 3M™
Factory ISO Certification: No ISO Certification information available
eClass 14 Classification Group: 15130103

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: tam@nt-rt.ru || сайт: <https://3m.nt-rt.ru/>